



The supply of twenty-six (26) Jetway Fanless Computers to the CSIR

Request for Quotation (RFQ) No: 5683/20/04/2021

Date of issue	Tuesday, 06/04/2021
Closing Date and Time	Tuesday, 20/04/2021 at 16:30
RFQ Number	5683/20/04/2021
Contact details	For submission of quotations or any other enquiries: tender@csir.co.za

1 INVITATION FOR QUOTATION

Quotations are hereby invited for the supply of twenty-six (26) Jetway Fanless Computers to the CSIR.

2 QUOTATION REQUIREMENTS

The CSIR requires Twenty-six(26) Jetway HBJC375F3A-2930-B Fanless Computers

3 TECHNICAL SPECIFICATIONS

Specification	
Model Name	HBJC375F3A-2930-B
Motherboard Specification	
CPU	Intel® Celeron N2930 SoC, 1.83GHz – 2.16GHz Burst, Quad-Core, 7.5W TDP/4.5W SDP

RAM	8GB
Memory	1 x 204-pin DDR3L-1333 SO-DIMM up to 8GB (1.35V required)
VGA	Intel HD Graphics, 313MHz - 854MHz
LAN	2 x Realtek RTL8111G PCI-E Gigabit LAN
Audio	Realtek ALC662 HD Audio
Storage / Drive Bay	1 x 2.5" SATA2 3Gb/s drive bay for HDD or SSD 1 x Shared mSATA/mini-PCI Express Combo slot (Full-size)
Wireless / Mini-PCIE Slot	1 x Mini-PCI Express slot (Half-size)
USB	Embedded 1 x USB 3.0 and 5 x USB 2.0
Form Factor	3.5" SBC (148mm x 102mm)
Chassis Specification	
Product size	180 (W) x 142 (D) x 48 (H) mm
Color	Black
HDD	1 x 2.5" Hard Disk Drive Bay (Only support SATA 2.5" HDD)
Front I/O Port	1 x Power Button 1 x Reset Button 2 x USB 2.0 ports 1 x Line Out Jack 1 x Microphone Jack 4 x RS232 Serial Ports (2 x installed & 2 x cables included in accessory box) 2 x WIFI Antenna holes
Rear I/O Port	1 x USB 3.0 ports 3 x USB 2.0 ports 2 x RJ-45 ports 1 x DVI-I port 1 x SMA Connector for WiFi Antenna 1 x Line Out jack 1 x Kensington Lock Hole 1 x +9V ~ +24V DC-in jack
Other Internal Headers	These connectors may not be fully usable with chassis closed, but the information is provided for customer alternative uses. 1 x USB Headers for up to 2 x USB 2.0 ports 1 x 24-bit dual channel LVDS connector/inverter (CHRONTEL CH7511B chipset up to 1920 x 1200) 1 x Serial Port Header (RS232/422/485) 1 x 8-bit GPIO header 1 x AT/ATX Mode jumper
Environment	Operating Temperature : 0 ~ 40°C Storage Temperature : -20 ~ 85°C

Standard Accessory	60W AC-DC Adapter x1 Power Cord x1 Wall Mount Kit DVI-to-VGA adapter x1 DIN RAIL x2 CD Disk x1 Manual x1 WIFI antenna (with HBJC375F3AW-2930-B model)
Functional	Set Top Box, Thin Client, Car Entertainment, Smart Mini PC, POS/POI, KIOSK
Certificate	CE,FCC,ErP For Barebone CE,FCC,TUV,UL,CCC,CB,ErP For Power Adapter

Note the following:

- No HDD to be supplied
- No deviations from the detailed specifications will be considered.
- All suppliers are required to indicate lead time for delivery of components.

4 EVALUATION CRITERIA

- 4.1 Selection of suppliers will be based on the 80/20 preference point system.
- 4.2 Indicate CSD number (National Treasury Central Supplier Database) on quotation. If not registered yet on CSD, use www.csd.gov.za to register.
- 4.3 Indicate valid B-BBEE status on quotation:
- Provide valid original or certified copy of the B-BBEE Certificate issued by an accredited verification agency and bearing a SANAS logo; **or**
 - Valid sworn affidavits made on dti designed templates; **or**
 - dti issued sworn affidavit; **or**
 - CIPC issued B-BBEE certificate.
- 4.4 No order will be issued or no contract will be signed without a valid CSD number.
- 4.5 Provide valid tax compliance PIN.

5 PRICING QUOTATION

- 5.1 Price needs to be provided in South African Rand (excl. VAT), with details on price elements that are subject to escalation and exchange rate fluctuations clearly indicated.
- 5.2 Price should include additional cost elements such as freight, insurance until acceptance, duty where applicable, etc.
- 5.3 Payment will be according to the CSIR Payment Terms and Conditions.

6 OTHER TERMS AND CONDITIONS

- 6.1 The supplier shall under no circumstances offer, promise or make any gift, payment, loan, reward, inducement, benefit or other advantage, which may be construed as being made to solicit any favour, to any CSIR employee or its representatives. Such an act shall constitute a material breach of the Agreement and the CSIR shall be entitled to terminate the Agreement forthwith, without prejudice to any of its rights.
- 6.2 A validity period of 90 days will apply to all quotations except where indicated differently on the quote.

- 7 **No goods and/or services should be delivered to the CSIR without an official CSIR Purchase order. CSIR purchase order number must be quoted on the invoice. Invoices without CSIR purchase order numbers will be returned to supplier.**

8 DECLARATION BY TENDERER

Only tenderers who completed the declaration below will be considered for evaluation.

RFQ No: 5683/20/04/2021.

I hereby undertake to render services described in the attached tendering documents to CSIR in accordance with the requirements and task directives / quotation specifications stipulated in RFQ No. **5683/20/04/2021** at the price/s quoted. My offer/s remains binding upon me and open for acceptance by the CSIR during the validity period indicated and calculated from the closing date of the quotation.

I confirm that I am satisfied with regards to the correctness and validity of my quotation; that the price(s) and rate(s) quoted cover all the services specified in the quotation documents;

that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.

I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this RFQ as the principal liable for the due fulfilment of this RFQ process.

I declare that I have no participation in any collusive practices with any tenderer or any other person regarding this or any other RFQ proposal.

I accept that the CSIR may take appropriate actions, deemed necessary, should there be a conflict of interest or if this declaration proves to be false.

I confirm that I am duly authorised to sign this proposal.

NAME (PRINT)
CAPACITY
SIGNATURE
NAME OF FIRM
DATE

WITNESSES	
1
2
DATE:	