



Request for Quotation (RFQ)

For the Refurbishment of Building 33 North Block Ground and First Floor to the CSIR Scientia, Pretoria.

RFQ Number: 9436/21/11/2023

| | | |
|--|--|---|
| Date of issue | Tuesday, 31 October 2023 | |
| Compulsory On- Line Briefing Session | Date and Time | Date: Wednesday, 08 November 2023 Time: 11h00 to 12h30 |
| | MS Teams Link | Join on your computer, mobile app or room device Click here to join the meeting Meeting ID: 384 130 975 346 Passcode: aq8YNg |
| Compulsory Site Inspection | Physical Address | Outside Building 33, CSIR Scientia Campus, Meiring Naude Road, Brummeria, Pretoria North Gate Reception Area (opposite Sasol garage on Meiring Naude Road) |
| | Date and Time | Date: Thursday, 09 November 2023 Time: 10h30 to 11h30 |
| | Bidders must ensure they sign the attendance register before leaving the briefing session venue. | |
| Last date for submission of enquiries/clarifications | Thursday, 09 November 2023 @ 16h30 | |
| Closing Date and Time | Tuesday, 21 November 2023 @ 16h30 (late submissions will not be accepted) | |
| RFQ Validity Period | 90 calendar days (Commencing from the RFQ closing date) | |
| Enquiries and submission of proposals | For submission of quotations or any other enquiries: Email tender@csir.co.za (Please use RFQ No and RFQ Description as subject reference) | |
| CSIR Hours | 08h00 – 16h30 | |

1 INTRODUCTION

The Council for Scientific and Industrial Research (CSIR) is one of the leading scientific research and technology development organisations in Africa. In partnership with national and international research and technology institutions, the CSIR undertakes directed and multidisciplinary research and technology innovation that contributes to the improvement of the quality of life of South Africans. The CSIR's main site is in Pretoria while it is represented in other provinces of South Africa through regional offices.

2 INVITATION FOR QUOTATION

Quotations are hereby invited for the supply of goods and/or services to the CSIR.

3 SPECIFICATION AND SCOPE OF WORK

The detailed specifications and scope of work is outlined under **Annexure A**

4 PRICING REQUIREMENTS

- 4.1 Pricing must be provided in South African Rand (including all applicable taxes less all unconditional discounts).
- 4.2 Prices that are subject to escalation and exchange rate fluctuations are to be clearly indicated, with the currency and ROE used in the quotation must be clearly indicated.
- 4.3 Price should include additional cost elements such as freight, insurance until acceptance, duty where applicable, etc.
- 4.4 Payment will be according to the [CSIR Payment Terms and Conditions](#).
- 4.5 Please provide a detail pricing using a Bill of Quantities outlined under **Annexure B**.

Bidders are to price their quotations using the Bill of Quantities. Explanatory notes must be provided in the quotation when deviating from the Bill of Quantities

5 RETURNABLES

Returnables are required for evaluation purposes. Bidders' responses will be evaluated based on compliance with the listed administration and mandatory bid requirements. The bidder(s) proposal may be disqualified for non-submission of any of the documents.

5.1 Essential Returnable Documents

Without limiting the generality of the CSIR's other critical requirements for this Bid, bidder(s) must submit the documents listed in Table 1 below. All documents must be completed and signed by the duly authorized representative of the prospective bidder(s).

Please confirm submission of the Essential Returnable Documents detailed below by so indicating [Yes or No] in the table below:

Table 1

| ESSENTIAL RETURNABLE DOCUMENTS | | SUBMITTED [Yes/No] |
|--|-------------|-----------------------|
| Annexure C: Standard Bidding Document (SBD) 1 Form | | |
| Annexure D: Standard Bidding Document (SBD) 4 Form | | |
| Annexure E: Preference Points Award Form(Mandatory documents to claim preference points) | | |
| Annexure F: Mutual Non-Disclosure Agreement | | |
| Bidder must submit proof of public liability cover of a minimum of R 1 000 000.00 or Letter of Intent for cover from a registered financial policy insurer | | |
| Provide CIDB CRS Number | CRS Number: | |

5.2 Mandatory Returnable Documents

Failure to submit **all** Mandatory Returnable Documents by the closing date and time of this RFQ will result in a Respondent's disqualification. Bidders are therefore urged to ensure that all these documents are returned with their RFQ.

Please confirm submission of the Mandatory Returnable Documents detailed below by so indicating [Yes or No] in the table below:

Table 2

| MANDATORY RETURNABLE DOCUMENTS | | SUBMITTED [Yes/No] |
|---|--|-----------------------|
| Annexure B: Bidder must submit a completed Bill of Quantities or quotation in company letterhead aligned to Bill of Quantities. | | |
| Bidder must submit valid letter of good standing (COIDA) issued by the Department of Employment and labour Compensation Fund or private assurer, relevant to the RFQ scope of work. | | |
| Bidder must submit a detailed CV of the Construction / Site Manager to be assigned to the project. A minimum of five (5) years' experience in a built environment is required | | |
| Bidder must submit a detailed project plan (preferably in Microsoft project), clearly showing all works activities and dependencies. Indicating time duration per activity and their dependency meeting | | |

| | |
|---|--|
| the project duration. (The baseline duration project duration is forty-five (45) working days) | |
| Bidder must submit three (3) signed and dated reference letters on referee's company letter head for similar works with contactable referees completed by the bidder in the last 6 years (2018-date). | |

6 EVALUATION PROCESS AND CRITERIA

The RFQ will be evaluated as per the following:

Phase 1 – Elimination Criteria

The bidders will be evaluated on the elimination criteria as stated in Point 6.1 below. Bidders that are eliminated during this phase will not be evaluated further on price and preference points.

Phase 2 – Price and Preference Points Evaluation

Bidders will be evaluated as per the preference points system stated in point 6.2 below.

6.1 Elimination Criteria

Bidders will be eliminated if they fail to provide the following information:

- a) Bidder that submit late bids will not be considered.
- b) Bidder that submit to the incorrect location or email address will not be considered.
- c) Bidder that is listed on the NT database of restricted suppliers will not be considered.
- d) Bidder that is registered on the NT Register of Tender Defaulters will not be considered.
- e) Bidder that did not submit mandatory returnable documents as listed on paragraph 5.2 (**Table 2**).
- f) Bidder that fail to meet the specification requirements will not be considered
- g) Bidder that fails to attend the compulsory briefing session and site inspection will not be considered.
- h) Bidder who does not have a valid and active CIDB registration with **3GB** or **higher**.

6.2 Preferential Points System Evaluation Criteria

Selection of suppliers will be based on the 80/20 preference point system as stipulated in **Annexure E: Preference Points Award Form**.

7 OBJECTIVE CRITERIA

The CSIR reserves the right to award this tender to a bidder that did not score the highest total number of points in accordance with Section (2) (1) (f) of the PPPFA (Act 5 of 2000)", under the following conditions:

- The directors, shareholders or officers of the bidder must not be formally charged of fraudulent or illegal conduct which could harm the CSIR's reputation by associating with the bidder.

8 SUBMISSION REQUIREMENTS

- 8.1 All quotations must be submitted electronically to tender@csir.co.za
- 8.2 Respondents must use the RFQ number and RFQ Description as the subject reference number when submitting their bids.
- 8.3 The email and file sizes must not exceed a total of 25MB per email.
- 8.4 Documents submitted via cloud solutions such as: WeTransfer, Google Drive, Dropbox, etc. will not be considered.
- 8.5 The naming / labelling syntax of files or documents must be short and simple.

9 CONSTRUCTION INDUSTRY DEVELOPMENT BOARD (CIDB)

- 9.1 Only those tenderers who are registered with the CIDB or are capable of being so prior to the closing date and time of this RFQ submissions, with a grading of **3GB or higher** class of construction works, will be considered.
- 9.2 Joint ventures are eligible to **submit** proposals provided that:
 - Every member of the joint venture is registered with the CIDB;
 - The lead partner has a contractor grading designation in the **3GB or higher** class of construction work; or not lower than one level below the required grading designation in the class of works construction works under consideration and possess the required recognition status;
 - The combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to **3GB or higher** class of construction work.

10 MEDIUM OF COMMUNICATION

All documentation submitted in response to this RFQ must be in English.

11 CORRECTNESS OF RESPONSES

- 11.1 The bidder must confirm satisfaction regarding the correctness and validity of their proposal and that all prices and rates quoted cover all the work/items specified in the RFQ. The prices and rates quoted must cover all obligations under any resulting contract.
- 11.2 The bidder accepts that any mistakes regarding prices and calculations will be at their own risk.

12 VERIFICATION OF DOCUMENTS

- 12.1 Bidders should check the numbers of the pages to satisfy themselves that none are missing or duplicated. No liability will be accepted by the CSIR in regard to anything arising.
- 12.2 Pricing schedule and specific goals credentials should be submitted with the RFQ response.

13 PREPARATION COSTS

The Bidder will bear all its costs in preparing, submitting and presenting any response or Tender to this bid and all other costs incurred by it throughout the bid process. Furthermore, no statement in this bid will be construed as placing the CSIR, its employees or agents under any obligation whatsoever, including in respect of costs, expenses or losses incurred by the bidder(s) in the preparation of their response to this bid.

14 OTHER TERMS AND CONDITIONS

- 14.1 No bidder shall under any circumstances offer, promise or make any gift, payment, loan, reward, inducement, benefit or other advantage, which may be construed as being made to solicit any favour, to any CSIR employee or its representatives. Such an act shall constitute a material breach of the Agreement and the CSIR shall be entitled to terminate the Agreement forthwith, without prejudice to any of its rights.
- 14.2 Bidders shall not assume that information and/or documents supplied to CSIR, at any time prior to this request, are still available to CSIR, and shall consequently not make any reference to such information document in its response to this request.
- 14.3 Changes by a bidder to its submission will not be considered after the closing date and time.
- 14.4 Bidders confirm that by submitting a tender, they confirm that I am satisfied with regards to the correctness and validity of my quotation; that the price(s) and rate(s) quoted cover all the services specified in the quotation documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 14.5 Bidders further confirm that by submitting a tender, they accept to take accept full responsibility for the proper execution and fulfilment of all obligations and conditions

devolving on them under this RFQ as the principal liable for the due fulfilment of this RFQ process.

- 14.6 No goods and/or services shall be delivered to the CSIR without an official CSIR Purchase order. CSIR purchase order number must be quoted on the invoice. Invoices without CSIR purchase order numbers will be returned to the supplier.

15 SPECIAL CONDITIONS

The CSIR reserves the right to

- 15.1 Extend the closing date of this RFQ;
- 15.2 Award this RFQ as a whole or in part;
- 15.3 Correct any mistakes at any stage of the tender that may have been in the Bid documents or occurred at any stage of the tender process;
- 15.4 Verify any information contained in the bidder's submission;
- 15.5 Request documentary proof regarding the bidder's submission;
- 15.6 Carry out site inspections, product evaluations or explanatory meetings in order to verify the nature and quality of the product/service offered by the bidder(s) or verify any information whether before or after the adjudication of this RFQ;
- 15.7 Award this tender to a bidder that did not score the highest total number of points, only in accordance with Section 2(1)(f) of the PPPFA (Act 5 of 2000);
- 15.8 Request audited financial statements or other documents for the purpose of a due diligence exercise to determine if the bidder will be able to execute the contract;
- 15.9 Award this RFQ to multiple bidders;
- 15.10 Cancel and/or terminate the tender process at any stage, including after the Closing Date and/or after presentations have been made, and/or after tenders have been evaluated and/or after the preferred bidder(s) have been notified of their status as such;
- 15.11 Post tender negotiate on any elements on the bid, including but not limited to technical, transformation, price, and contractual terms and conditions.;
- 15.12 Not to award a contract to a bidder who is associated with a security breach that materially adversely affects other entities or if any directors or officers of a bidder are formally charged of fraudulent or illegal conduct which, would harm the CSIR's reputation by its continued association with the bidder.

16 CONFIDENTIALITY

Some of the information contained in the Tender Documents may be of a confidential nature and must only be used for purposes of responding to this RFQ. This confidentiality clause extends to bidder partners whom you may decide to involve in preparing a response to this RFQ. Bidders must complete and sign **ANNEXURE F: Non-Disclosure Agreement**.

Except as may be required by operation of law, by a court or by a regulatory authority having appropriate jurisdiction, no information contained in or relating to this bid or a bidder's tender(s) will be disclosed by any bidder or other person not officially involved with the CSIR's examination and evaluation of a Tender.

No part of the bid may be distributed, reproduced, stored or transmitted, in any form or by any means, electronic, photocopying, recording or otherwise, in whole or in part except for the purpose of preparing a Tender. This bid and any other documents supplied by the CSIR remain proprietary to the CSIR and must be promptly returned to the CSIR upon request together with all copies, electronic versions, excerpts or summaries thereof or work derived there from.

Throughout this bid process and thereafter, bidder(s) must secure the CSIR's written approval prior to the release of any information that pertains to (i) the potential work or activities to which this bid relates; or (ii) the process which follows this bid. Failure to adhere to this requirement may result in disqualification from the bid process and civil action.

17 PROTECTION OF PERSONAL INFORMATION

- 17.1 Each Party consents to the other Party holding and processing "personal information" (as defined in the POPI Act) relating to it for legal, personnel, administrative and management purposes (including, if applicable, any "special personal information" relating to him/her, as defined in the POPI Act). Notwithstanding the generality of the aforesaid, each Party hereby undertakes to comply with all relevant provisions of the POPI Act and any other applicable data protection laws. The Client further agrees to comply with all CSIR's reasonable internal governance requirements pertaining to data protection.
- 17.2 Each Party consents to the other Party making such information available to those who provide products or services to such parties (such as advisers, regulatory authorities, governmental or quasi-governmental organisations and potential purchasers of such Party or any part of their business).
- 17.3 The Client consents to the transfer of such information to CSIR's business contacts outside South Africa in order to further its business interests.
- 17.4 While performing any activity where a Party is handling personal information as a "responsible party" (as defined in the POPI Act), each Party undertakes that it will process the personal information strictly in accordance with the terms of the POPI Act, this Contract, and the other Party's instructions from time to time, and take appropriate operational measures to safeguard the data against any unauthorised access.
- 17.5 Each Party acknowledges that in the course of conducting business with each other, each Party intends to maintain and process personal information about the other Party in an

internal database. By signing this Contract, each Party consents to the maintenance and processing of such personal information.

- 17.6 Where relevant, the Client shall procure that all of its personnel, agents, representatives, contractors, sub-contractors and mandataries shall comply with the provisions of this clause 16 (Personal Information). The CSIR shall be entitled on reasonable notice to conduct an inspection or audit Client's compliance with the requisite POPI Act safeguards.

18 INDEMNITY

If a bidder breaches the conditions of this bid and, as a result of that breach, the CSIR incurs costs or damages (including, without limitation, the cost of any investigations, procedural impairment, repetition of all or part of the bid process and/or enforcement of intellectual property rights or confidentiality obligations), then the bidder indemnifies and holds the CSIR harmless from any and all such costs which the CSIR may incur and for any damages or losses the CSIR may suffer.

19 TAX COMPLIANCE

No tender shall be awarded to a bidder who is not tax compliant. If a recommended bidder is not tax compliant, the bidder will be notified in writing of their non-compliant status and the bidder will be requested to submit written proof from SARS of their tax compliant status or proof that they have made an arrangement to meet their outstanding tax obligations within seven (7) working days. Should they fail to do so CSIR will reject their bid.

The CSIR reserves the right to withdraw an award made, or cancel a contract concluded with a successful bidder in the event that it is established that such bidder was in fact not tax compliant at the time of the award or has submitted a fraudulent Tax Clearance Certificate to the CSIR, or whose verification against the Central Supplier Database (CSD) proves non-compliant. The CSIR further reserves the right to cancel a contract with a successful bidder in the event that such bidder does not remain tax compliant for the full term of the contract.

20 LIMITATION OF LIABILITY

A bidder participates in this bid process entirely at its own risk and cost. The CSIR shall not be liable to compensate a bidder on any grounds whatsoever for any costs incurred or any damages suffered as a result of the Bidder's participation in this Bid process.

21 MISREPRESENTATIONS DURING THE LIFECYCLE OF THE CONTRACT

- 21.1 The bidder should note that the terms of its Tender will be incorporated in the proposed contract by reference and that the CSIR relies upon the bidder's Tender as a material representation in making an award to a successful bidder and in concluding an agreement with the bidder.
- 21.2 It follows therefore that misrepresentations in a Tender may give rise to service termination and a claim by the CSIR against the bidder notwithstanding the conclusion of the Service Level Agreement between the CSIR and the bidder for the provision of the Service in question. In the event of a conflict between the bidder's proposal and the Service Level Agreement concluded between the parties, the Service Level Agreement will prevail.

22 DISCLAIMER

This RFQ is a request for Quotations only and not an offer document. Answers to this RFQ must not be construed as acceptance of an offer or imply the existence of a contract between the parties. By submission of its proposal, bidders shall be deemed to have satisfied themselves with and to have accepted all Terms & Conditions of this RFQ. The CSIR makes no representation, warranty, assurance, guarantee or endorsements to bidder concerning the RFQ, whether with regard to its accuracy, completeness or otherwise and the CSIR shall have no liability towards the bidder or any other party in connection therewith.

23 NATIONAL TREASURY CENTRAL SUPPLIER DATABASE

- 23.1 Bidders are required to be registered on the Central Supplier Database and the National Treasury shall verify the bidder's tax compliance status through the Central Supplier Database. Registrations can be completed online at: www.csd.gov.za;
- 23.2 Where Consortia / Joint Ventures / Sub-contractors are involved, each party must be registered on the Central Supplier Database and their tax compliance status will be verified through the Central Supplier Database.

Annexure A

Scope of Work

Refurbishment of Building 33 North Block Ground and First Floor with a combined floor area of 1850m². Consisting of Painting, minor floor cover replacement works, refurbishing of 3 small ablutions, refurbishing of 3 small kitchen areas, minor suspended ceiling replacements – as provided in the bill of quantities below.

NOTES AND PREAMBLES

User note

Insert preambles/specifications as may be required or in order to supplement any applicable preambles, specifications or bills of quantities descriptions.

Take note that these Model Bills of Quantities utilise abbreviated descriptions.

The Model Preambles for Trades 2008 published by the Association of South African Quantity Surveyors is designed to support and extend the abbreviated bills of quantities descriptions by inter alia referring to SANS construction standards. Where such model preambles are not applicable (e.g., where BS or Euro construction standards are applicable or the design consultants provide other preambles/specifications for insertion), bidders are to ensure that the abbreviated descriptions when read in conjunction with the applicable measuring system, represents the full description by extending the abbreviated bills of quantities descriptions and/or by inserting appropriate preambles or specifications.

Consider inserting the preambles hereunder when using the abovementioned Model Preambles for Trades 2008.

Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows:

- Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards) and
- Paintwork in one colour group may be given as extra over paintwork in another colour group

SUPPLEMENTARY PREAMBLES

PREPARATORY WORK TO EXISTING WORK

Previously painted plastered surfaces

Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed, and cracks shall be opened, filled with a suitable filler and finished smooth.

1. PAINT SPECIFICATIONS

PAINTING NOTES AND INCLUSIONS

Note: Painting surface includes, walls, window openings, window frames, doors, door frames. The area below is an all-inclusive measurement. The bidder to make allowance for cuttings, waste disposal, surface imperfections, surface preparations, painting to openings, painting to doors, windows, door frames window frames etc. Allow where required plaster patching, Polyfilla to smooth surface.

Removal and fitting back of fittings and fixtures to be allowed for buy the bidder. No painting around covers, such shall be removed and fitted back after painting.

All painting shall be done in accordance with specifications unless otherwise described.

1.1. Painting of walls

- Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised.
- Allow for filling holes and cracks where needed and sand down filler level with wall.
- Allow for Suitable primer paint 1coat Colour white
- Allow for polvin super acrylic premium washable matt Paint 2 coats with minimum 15-year guarantee.
- Colour Amazon mist.

1.2. Concrete soffits

- Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised.
- Allow for filling holes and cracks where needed and sand down filler level with wall.
- Allow for Suitable primer paint 1coat Colour white
- Allow for polvin super acrylic premium washable matt Paint 2 coats with minimum 15-year guarantee.
- Colour Brilliant White.

1.3. Timber doors

- Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised.
- Allow for suitable primer paint 1 coat.
- Surface to be dry, sound and clean. Prime with one coat of primer with an overcoating time of 16 hours and finish with 2 coats premium quality velvet sheen wall paint that is highly washable and stain resistant. (with 15 year guarantee)
- Colour Amazon mist.

2. Metal or timber doorframes

2.1. Paint to metal surfaces

- Prepare surface by removing loose materials, sand down existing previously painted steel.
- Prepare steel surface with 1 coat primer.
- None drip Water based matt Enamel paint 2 Coats with minimum 12-year guarantee.
- Colour Dark Onyx.

2.2. Timber Skirting

- Surface to be dry, sound and clean. Prime with one coat of wood primer with an overcoating time of 16 hours and finish with two coats of Paint.
- Varnish to match existing colour.
- Allow for sanding of existing and apply 1ct varnish to seal timber or brick and 2 coats varnish.

3. BLINDS (NOT TO BE REMOVED)

Blinds, the contractor not to remove blinds, where necessary for removal the contractor shall make allowance for such. Including the reinstalment of the blinds.

4. PROTECTION

- The contractor is responsible for protection of existing surfaces.
- Protect all surfaces including horizontal and vertical surfaces.
- Protect all existing finishes, floor and wall finishes including carpets, tiles, paint and all other surfaces.

5. DEMOLITIONS REMOVALS

All waste and rubble to be carted away to a registered waste disposal site selected by the contractor.

The contractor must provide valid waste disposal certificate for each load disposed.

6. NEW FLOOR COVER

6.1. Vinyl planks

Apply heavy commercial vinyl planks, allow for cutting and waste

1500 x 230mm Peninsula Cherry back Oak vinyl planks 3mm thick with 0.55mm wear layer and a minimum warranty of 15 years' for commercial use

6.2. Carpet tiles

Allow for the supply and installation of 500X500 carpet tiles,

Heavy Commercial carpets, with minimum thickness of 7mm thick

Heavy Commercial, PP, Needle punch, Resin Backed Tile/

Stainproof Fibre

7. KITCHENS

7.1. Cabinets (notes)

Colour to be Dove grey

Kitchen cabinet units 16mm thick chipboard laminate in melamine with matching machine pressed edging.

Door: 16mm Thick chipboard laminated in melamine four-sided Full wrap post form with 3mm impact edging. Hinges: to be soft closing Internal concealed Grass type and quality with minimum 100 000 cycle test guarantee. Handles: Anodized Silver finish, LOCKS on all door: CISA drawer and cupboard.

Allow for drawer unit with standard four drawers. Note the rails to be soft closing telescopic rails.

Allow for one tilt out trash bin unit, including the supply and holding mechanism for the bin.

Allow for the aluminium kickplate fixed to base of the floor units.

7.2. Wall units

Allow for standard depth of wall units with a minimum two shelf storage space. All detail and finish as per base units

7.3. Kitchen tops/ Bathroom Tops

kitchen worktops 20mm thick Eezi quartz Sparkle top

including the allowance to make cutout for the drop-in double bowl SS sink, taps including connections and fittings.

7.4. Kitchen floor tiles

Full bodied double pressed 600X600 porcelain tiles (Non-slip) fixed on screeded floors complying with SANS 1449/13006 Colour Dark Grey code OBF05

fixed to floor screed with approved tile adhesive as per the tile manufacturer's requirements and recommendations. Mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications

7.5. Kitchen wall tiles

Full bodied double pressed 600X600 porcelain tiles complying with SANS 1449/13006 Colour Light Grey OBF06

fixed with tile adhesive mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications

8. Bathroom Tilling

Preparation

Include in preparation of surface TAL KEYCOAT to walls and floors as per manufacturer's recommendations. Prepare the surface to receive new installation of tiles, leaving surface plumb, level and free waste materials.

8.1. Bathroom Floor tilling

Full bodied 600x600 double pressed porcelain tiles (NON-SLIP) complying with SANS 1449/13006 fixed to floor screed with approved tile adhesive mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications – Grey.

8.2. Bathroom Wall tilling

Full bodied 600x600 double pressed porcelain tiles complying with SANS 1449/13006 fixed with tile adhesive mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications – Grey

8.3. Bathroom Mosaic

On Shower floors or walls

Douglas Jones 435- 48 x 48mm mesh backed slate mosaic tile 'Charcoal Black-BAWM01' fixed with Tal adhesive and flush jointing compound with consistent 5mm joints maximum laid and sealant to manufacturers specification.

8.4. Bathroom vanity slab

Vanity Slap: 30mm thick granite to with 45-degree metered joint with 2 – 3mm bevel on surface edge, fixed to supports (elsewhere specified) using dabs of 100% clear silicone adhesive at 200mm to 300mm centres along all supports with all joints filled with matching polyester resin glue. Surface to be sealed using an approved stone sealer, in all accordance with the manufacturer's recommendations, on coat acrylic sealer and then with silicone. This includes the 90° to cover the waste pipes. Height 300mm.

The baseline duration project duration is 45 days

Service Address:

Building 33
CSIR Scientia Campus
Meiring Naude Road,
Brummeria

Annexure B**Bill of Quantities****RFQ No. 9436/21/11/2023**

| |
|--|
| |
| |
| |
| <u>Users note: Preambles</u> |
| - |
| |
| Take note that these Model Bills of Quantities utilise abbreviated descriptions |
| The Model Preambles for Trades 2008 published by the Association of South African Quantity Surveyors is designed to support and extend the abbreviated bills of quantities descriptions by inter alia referring to SANS construction standards. <u>Where such model preambles are not applicable</u> (e.g. where BS or Euro construction standards are applicable or the design consultants provide other preambles/specifications for insertion), users are to ensure that the abbreviated descriptions when read in conjunction with the applicable measuring system, represents the full description by extending the abbreviated bills of quantities descriptions and/or by inserting appropriate preambles or specifications |
| Consider inserting the preambles hereunder when using the abovementioned Model Preambles for Trades 2008 |
| |
| Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group" |
| <u>SUPPLEMENTARY PREAMBLES</u> |
| |
| <u>PREPARATORY WORK TO EXISTING WORK</u> |
| |

| |
|---|
| |
| <u>Previously painted plastered surfaces</u> |
| |
| Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed, and cracks shall be opened, filled with a suitable filler and finished smooth |
| |
| <u>PAINT SPECIFICATIONS</u> |
| |
| All painting shall be done in accordance with "?" specifications unless otherwise described |
| |
| <u>COLOURS</u> |
| Allow for non-drip water-based enamel paint, colour Onyx |
| |
| <u>PAINT</u> |
| Painting of walls |
| Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised. |
| Allow for filling holes and cracks where needed and sand down filler level with wall. |
| Allow for Suitable primer paint 1coat Colour white |
| Allow for Premium acrylic washable matt Paint 2 coats with minimum 15-year guarantee |
| Colour Amazon mist |
| |
| Concrete soffits |
| Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised. |
| Allow for filling holes and cracks where needed and sand down filler level with wall. |
| Allow for Suitable primer paint 1coat Colour white |
| Allow for Premium acrylic washable matt Paint 2 coats with minimum 15-year guarantee |
| Colour Brilliant White |
| |

| |
|--|
| |
| Timber doors |
| Ensure the surface to be dry, sound and clean, remove all flaking paint and remove pins hooks screws, existing fasteners not utilised. |
| Allow for suitable primer paint 1 coat |
| Surface to be dry, sound and clean. Prime with one coat of primer with an overcoating time of 16 hours and finish with 2coats premium quality velvet sheen wall paint that is highly washable and stain resistant. (With 15year guarantee) |
| Colour Amazon mist |
| |
| Metal or timber doorframes |
| Paint to metal surfaces |
| Prepare surface by removing loose materials, sand down existing previously painted steel |
| Prepare steel surface with 1coat primer. |
| None drip Water based matt Enamel paint 2 Coats with minimum 12-year guarantee |
| Colour Dark Onyx |
| |
| Timber Skirting |
| Surface to be dry, sound and clean. Prime with one coat of wood primer with an overcoating time of 16 hours and finish with two coats of Paint |
| Varnish to match existing colour |
| Allow for sanding of existing and apply 1ct varnish to seal timber or brick and 2 coats varnish |
| |
| PAINTING notes and inclusions |
| Note painting surface includes, walls, window openings, window frames, doors, door frames. The area below is an all-inclusive measurement. The contractor to make allowance for cuttings, waste, surface imperfections, surface preparations, painting to openings, painting to doors, windows, door frames window frames etc. Allow where required plaster patching, Polyfilla to smooth surface. Removal and fitting back of fittings and fixtures to be allowed for by the contractor. No painting around covers, such shall be removed and fitted back after painting. |
| BLINDS (NOT TO BE REMOVED) |

| |
|--|
| Blinds, the contractor not to remove blinds, where necessary for removal the contractor shall make allowance for such. Including the reinstalment of the blinds. |
| PROTECTION |
| The contractor is responsible for protection of existing surfaces. Protect all surfaces including horizontal and vertical surfaces. Protect all existing finishes, floor and wall finishes including carpets, tiles, paint and all other surfaces. |

| | | | QTY | RATE | AMOUNT |
|---|---|----|-----|------|--------|
| | DEMOLITIONS REMOVALS | | | | |
| | All waste and rubble to be carted away to a registered waste disposal site selected by the contractor. The contractor must provide valid waste disposal certificate for each load disposed. All surfaces to be free of existing glues, for all fixtures. i.e., tiles, carpets, floor, wall tiles etc. | | | | |
| | | | | | |
| | Remove existing floor cover | | | | |
| | Allow for the removal of existing floor cover and cart offsite | | | | |
| | Prepare surface by removing all existing glues and prepare floor to receive new vinyl | | | | |
| | Remove Carpet | | | | |
| 1 | Kitchen N186 | m2 | 31 | | R |
| | | | | | |
| 2 | Remove Vinyl tiles | m2 | 192 | | R |
| | passage N33 | | | | |
| | N30 | | | | |

| | | | | | |
|---|---|----|------|--|---|
| | | | | | |
| 3 | Remove floor Tiles Remove floor tiles and prepare surface to received new floor tiles. Note floor surface to be free of all existing tile glues. | m2 | 96.5 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Bathroom N40 | | | | |
| | Bathroom N172 | | | | |
| | Bathroom N116 | | | | |
| | Bathroom N114 | | | | |
| | | | | | |
| 4 | Remove wall tiles Remove wall tiles and prepare surface to receive new tiles. Remove floor tiles and prepare surface to received new floor tiles. Note floor surface to be free of all existing tile glues. | m2 | 128 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Bathroom N40 | | | | |
| | Bathroom N172 | | | | |
| | Bathroom N116 | | | | |
| | Bathroom N114 | | | | |
| | | | | | |
| | Self-levelling screed | | | | |
| 5 | Prepare surface by removing all existing glues and prep floor to receive new vinyl. Allow for self-levelling screed and make level for fixing of new vinyl planks | m2 | 192 | | R |
| | | | | | |
| | Kitchens | | | | |

| | | | | | |
|----|---|------|------|--|---|
| | Remove existing kitchen units and cart off site | | | | |
| 6 | Kitchen N7 = kitchen area 17m2 | item | 1 | | R |
| 7 | Kitchen N51 = kitchen area 20m2 | item | 1 | | R |
| 8 | Kitchen N112 = kitchen area 12m2 | item | 1 | | R |
| 9 | Kitchen N186 = kitchen area 30m2 | item | 1 | | R |
| | | | | | |
| | Bathrooms | | | | |
| | Carefully dismantle and remove all existing sanitary fittings and cart away | | | | |
| 10 | N40 bathroom area 17m2 | item | 1 | | R |
| 11 | N172 bathroom area 10m2 | item | 1 | | R |
| 12 | N116 bathroom area 4m2 | item | 1 | | R |
| 13 | N114 bathroom area 17m2 | item | 1 | | R |
| | | | | | |
| | PAINTING OF WALLS | | | | |
| 14 | Walls | m2 | 4074 | | R |
| | The measurements are including windows, doors and their frames, note allow for painting of windows and sills heads and sides to the opening as well. Allow for painting of doors and doorframes etc | | | | |
| | | | | | |
| | Window reveals | | | | |
| | Note no blinds to be removed | | | | |
| 15 | Paint to window openings | m2 | 170 | | R |
| | | | | | |
| | Concrete soffit | | | | |
| 16 | The measurements include sided of existing down stand beams | m2 | 200 | | R |
| | | | | | |
| | PAINT TO METAL | | | | |
| | Prepare surface by removing loose materials, sand down existing previously painted steel, | | | | |

| | | | | | |
|----|---|----|-----|--|---|
| | prepare steel frame surface with primer. Apply two coats water-based enamel | | | | |
| | | | | | |
| 17 | Paint to door frames | m | 521 | | R |
| | Note paint to internal side and the sides of the opening pane as well | | | | |
| | | | | | |
| 18 | Paint to metal gates | m2 | 15 | | R |
| | Note paint to internal side and the sides of the opening pane as well | | | | |
| | | | | | |
| | Paint to window frames | | | | |
| | Note paint to internal side and the sides of the opening pane as well. | | | | |
| | Prepare surface by removing loose materials, sand down existing previously painted steel, prepare steel frame surface with primer. Apply two coats water-based enamel | | | | |
| | | | | | |
| 19 | First floor | m2 | 290 | | R |
| | | | | | |
| 20 | Ground floor | m2 | 157 | | R |
| | | | | | |
| | Paint to power skirting | | | | |
| 21 | Prepare surface by removing loose materials, sand down existing previously painted steel, prepare steel surface with primer. Apply two coats water-based enamel | m | 389 | | R |
| | Ground west | | | | |
| | Ground middle | | | | |
| | Ground East | | | | |
| | Frist West | | | | |
| | First east | | | | |
| | | | | | |

| | | | | | |
|----|--|----|-----|--|---|
| | TIMBER | | | | |
| | PAINT TO DOORS | | | | |
| 22 | Doors both sides | m2 | 234 | | R |
| | Surface to be dry, sound and clean. Prime with one coat of primer with an overcoating time of 16 hours and finish with 2coats premium quality velvet sheen wall paint that is highly washable and stain resistant. (With 15year guarantee) | | | | |
| | | | | | |
| 23 | Paint to Timber or Brick skirting | m | 874 | | R |
| | Surface to be dry, sound and clean. Prime with one coat of wood primer with an overcoating time of 16 hours and finish with two coats of paint. | | | | |
| | | | | | |
| | FLOOR COVER | | | | |
| | To office areas passages etc | | | | |
| | New Floor cover | | | | |
| | Vinyl planks | | | | |
| | Apply heavy commercial vinyl planks, allow for cutting and waste | | | | |
| 24 | 1500 x 230mm Peninsula Cherry back Oak vinyl planks 3mm thick with 0.55mm wear layer thickness. | m2 | 290 | | R |
| | | | | | |
| | Carpet tiles | | | | |
| 25 | Allow for the supply and installation of 500X500 carpet tiles, | m2 | 165 | | R |
| | Heavy Commercial carpets, with minimum thickness of 7mm thick | | | | |
| | Heavy Commercial, PP, Needle punch, Resin Backed Tile/ | | | | |
| | Stainproof Fibre | | | | |
| | | | | | |
| | KITCHEN WORKS | | | | |

| | | | | | |
|----|---|---|----|--|---|
| | Cabinets (notes) | | | | |
| | Colour to be Dove grey | | | | |
| | Kitchen cabinet units 16mm thick chipboard laminate in melamine with matching machine pressed edging. | | | | |
| | Door: 16mm Thick chipboard laminated in melamine four-sided Full wrap post form with 3mm impact edging. Hinges: to be soft closing Internal concealed Grass type and quality with minimum 100 000 cycle test guarantee. Handles: Anodized Silver finish, LOCKS on all door: CISA drawer and cupboard. | | | | |
| | Allow for drawer unit with standard four drawers. Note the rails to be soft closing telescopic rails. | | | | |
| | Allow for one tilt out trash bin unit, including the supply and holding mechanism for the bin | | | | |
| | Allow for the aluminium kickplate fixed to base of the floor units. | | | | |
| | | | | | |
| | Wall units | | | | |
| | Allow for standard depth of wall units with a minimum two shelve storage space. All detail and finish as per base units | | | | |
| | Kitchen tops | | | | |
| | kitchen worktops 20mm thick Eezi quartz Sparkle top or similar | | | | |
| | including the allowance to make cutout for the drop-in double bowl SS sink, taps etc | | | | |
| | <u>New kitchen cabinets</u> | | | | |
| 26 | Base kitchen units | m | 22 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |
| | | | | | |

| | | | | | |
|----|--|------|-----|--|---|
| 27 | Wall mounted kitchen units | m | 17 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |
| | | | | | |
| | Supply and install Chromium plated kitchen SABS approved mixer, cobra or similar | | | | |
| | including all waste and new fittings | | | | |
| 28 | Kitchen N7 | Item | 1 | | R |
| 29 | Kitchen N51 | Item | 1 | | R |
| 30 | Kitchen N112 | Item | 1 | | R |
| 31 | Kitchen N186 | Item | 1 | | R |
| | | | | | |
| | Sink | | | | |
| | Install stainless steel double bowl sink Franki or similar, allow for all fixtures fittings and waste fittings | | | | |
| 32 | Kitchen N7 | Item | 1 | | R |
| 33 | Kitchen N51 | Item | 1 | | R |
| 34 | Kitchen N112 | Item | 1 | | R |
| 35 | Kitchen N186 | Item | 1 | | R |
| | <u>Kitchen floor and wall Tiling</u> | | | | |
| | | | | | |
| | Preparation | | | | |
| 36 | Include in preparation of surface TAL KEYCOAT to walls and floors as per manufacturer's recommendations. Prepare the surface to receive new installation of tiles, leaving surface plumb, level and free waste materials | m2 | 112 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |

| | | | | | |
|----|---|----|----|--|---|
| | Kitchen floor tiles | | | | |
| 37 | Full bodied double pressed 600X600 porcelain tiles (NON-SLIP) fixed on screeded floors complying with SANS 1449/13006 Colour Dark Grey code OBF05 | | | | |
| | On Floors | m2 | 93 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |
| | | | | | |
| | Kitchen wall tiles | | | | |
| | Full bodied double pressed 600X600 porcelain tiles complying with SANS 1449/13006 Colour Light Grey OBF06 | | | | |
| 38 | On walls at cabinet area only | m2 | 50 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |
| | | | | | |
| | Kitchen Work tops (Quartz worktops) | | | | |
| 39 | Supply and install kitchen worktops minimum 20mm thick Eezi quartz Sparkle top. With standard depth and allowance of overhang to cabinets | m | 20 | | R |
| | Kitchen N7 | | | | |
| | Kitchen N51 | | | | |
| | Kitchen N112 | | | | |
| | Kitchen N186 | | | | |
| | Edge trims | | | | |
| | | | | | |
| 40 | Aluminium tile Edge Trims to top of wall tiles | m | 60 | | R |
| | | | | | |
| 41 | Aluminium tile Edge Trims to corners | m | 20 | | R |

| | | | | | |
|----|--|------------------|----|-----------|-----------|
| | | | | | |
| | Cabinet plinth | | | | |
| | Aluminium kickplate to bottom of kitchen base cabinets | | | | |
| | Kick Plate brushed Aluminium 150mm high by 2mm thick | m | 20 | | R |
| | | | | | |
| | BATHROOM WORKS | | | | |
| | <u>New Bathroom</u> | | | | |
| | <u>Pipes and fittings</u> | <u>Pc</u> | 1 | R46000.00 | R46000.00 |
| | Allow for new copper pipes and connections to suite including floor drain | | | | |
| 42 | Allow for new waste pipes 45mm PVC and recessed into existing walls including floor drain | | | | |
| | Allow for cutting and countersunk pipes i.e., water supply and waste pipes including floor drain | | | | |
| | Pipes and fittings | | | | |
| | For Bathrooms N40 | | | | |
| 43 | N172 | Item | 1 | | R |
| 44 | N116 | Item | 1 | | R |
| 45 | N114 | Item | 1 | | R |
| | <u>Sanitary Fittings</u> | | | | |
| | N40 | | | | |
| | N172 | | | | |
| | N116 | | | | |
| | N114 | | | | |
| | Install as per manufactures recommendations and as per building and SABS regulations | | | | |
| | Urinal | | | | |
| 51 | white ceramic visible inlet urinal, size 350 x 480 x 400mm, bolted to the wall with stainless steel bolts and sealed with abe Dow Corning acetox | No | 2 | | R |

| | | | | | |
|----|---|----|---|--|---|
| | silicone sealant, all in accordance to manufacturer's specification. | | | | |
| | including pneumatic urinal actuator finished in chromium plated "matt" including housing with shut off valve, flush pipe and urinal trap deem to comply with specifications | | | | |
| | | | | | |
| | Water closet | | | | |
| 52 | Floor mounted, Shape to be Boxed rim flush, vitreous China coupled suite colour White (Code: 773862), comprising 90° outlet closed rim washdown pan with matching with matching 6 litre cistern including and Thermoset Soft-Close seat | No | 6 | | R |
| | Deem to comply with Specifications: Ceramic water closet to SANS 497. This includes the supply and installations of 1 x Angel regulating valve DZR 15x5mm per water closet. | | | | |
| | (Fitted with all the necessary waste and water supply fittings and fixtures) | | | | |
| | | | | | |
| | Water closet for the mobility impaired | | | | |
| 53 | Toilet flushing mechanism and Handrail in the facility for persons with disabilities bathroom, in accordance with SABS 02400 Standards | No | 1 | | R |
| | Floor mounted, Shape to be Boxed rim flush, vitreous China coupled suite colour White (Code: 773862), comprising 90° outlet closed rim washdown pan with matching with matching 6 litre cistern including and Thermoset Soft-Close seat | | | | |
| | Deem to comply with Specifications: Ceramic water closet to SANS 497. This includes the supply and installations of 1 x Angel regulating valve DZR 15x5mm per water closet. | | | | |

| | | | | | |
|----|--|----|----|--|---|
| | (Fitted with all the necessary waste and water supply fittings and fixtures) | | | | |
| | Hand wash basins | | | | |
| 54 | "Duravit Vero "white Alpin ceramic above countertop wash hand basin, size 450mm x 350mm x 135 with one tap hole and overflow, fixed to the countertop and sealed with abe Dow corning 785 acetoxysilicone sealant where basin rim meets countertop, all in accordance with the manufacturer's specifications. This includes the supply and installation of below 1.2 x Angle regulating valve DZR 15 x 15mm per Hawash basin. 2.1 x Standard chrome bottle trap CL including Tailpipe & Bung 32 per basin. 3.1 x GVD Slotted basin click waste per basin | No | 9 | | R |
| | | | | | |
| | <u>Traps etc</u> | | | | |
| 55 | 32mm chromium plated bottle trap with tail pipe for Basin | No | 9 | | R |
| | | | | | |
| 56 | 32mm chromium plated bottle trap with tail pipe for Urinal | No | 2 | | R |
| | | | | | |
| | <u>Taps, Valves, etc</u> | | | | |
| 57 | Supply and install chromium plated angled Self-Closing Hydraulic Metering Basin Pillar taps with a minimum height of 170mm | No | 18 | | R |
| | | | | | |
| 58 | Note (Install Stainless Steel Braided flexible hose connectors to be SABS approved) | No | 23 | | R |
| | With SABS mark to be visible and stamped on the pipe. | | | | |
| | | | | | |
| 59 | Note Allow for all water connections to receive SABS approved wall mount Angle valve with backplate | No | 23 | | R |

| | | | | | |
|----|---|------|----|--|---|
| | | | | | |
| | <u>TESTING</u> | | | | |
| 60 | Allow for all sanitary plumbing, water supply and testing of all pipework | No | 4 | | R |
| | | | | | |
| | <u>Mirrors</u> | | | | |
| | Supply and install a Mirror fixed with CP round headed mirror screws Length of mirror to be divided in two for installation purposes. | | | | |
| | | | | | |
| 61 | Size 2500x900mm | Item | 1 | | R |
| 62 | Size 1200x900mm | Item | 5 | | R |
| | | | | | |
| | <u>Reinstate existing support handles</u> | | | | |
| | Toilet for the disabled, | | | | |
| 63 | Remove and set aside, allow for the refit of the dogleg and cistern handles | Item | 1 | | R |
| | | | | | |
| | <u>Bathroom Tiling</u> | | | | |
| | Preparation | | | | |
| 64 | Include in preparation of surface TAL KEYCOAT to walls and floors as per manufacturer's recommendations. Prepare the surface to receive new installation of tiles, leaving surface plumb, level and free waste materials | m2 | 54 | | R |
| | | | | | |
| | <u>Bathroom Floor tiling</u> | | | | |
| | Full bodied 600x600 double pressed porcelain tiles (NON SLIP) complying with SANS 1449/13006 fixed to floor screed with approved tile adhesive mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum | | | | |

| | | | | | |
|----|--|----|-----|--|---|
| | 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications – Grey. | | | | |
| 65 | On Floors | m2 | 46 | | R |
| | | | | | |
| | Bathroom Wall tiling | | | | |
| | Full bodied 600x600 double pressed porcelain tiles complying with SANS 1449/13006 fixed to floor screed with approved tile adhesive mixed with bonding liquid in lieu of water joints grouted with tile grout with minimum 5mm expansion joints at perimeter, all structural expansion and construction joints and maximum 5m centre internally and at 3m centres externally, in both directions. All to manufacturers specifications – Grey | | | | |
| 66 | On walls | m2 | 151 | | R |
| | | | | | |
| | <u>Bathroom Mosaic</u> | | | | |
| | Douglas Jones 435- 48 x 48mm mesh backed slate mosaic tile 'Charcoal Black-BAWM01' fixed with Tal adhesive and flush jointing compound with consistent 5mm joints maximum laid and sealant to manufacturers specification. | | | | |
| 67 | Shower floors | m2 | 4 | | R |
| | | | | | |
| 68 | On Walls | m2 | 25 | | R |
| | | | | | |
| | <u>Bathroom vanity slab</u> | | | | |
| 69 | Vanity Slap: 30mm thick granite to with 45-degree metered joint with 2 – 3mm bevel on surface edge, fixed to supports (elsewhere specified) using dabs of 100% clear silicone adhesive at 200mm to 300mm centres along all supports with all joints filled with matching polyester resin glue. Surface to be sealed using | m | 10 | | R |

| | | | | | |
|----|---|----|-----|--|---|
| | an approved stone sealer, in all accordance with the manufacturer's recommendations, on coat acrylic sealer and then with silicone. This includes the 90° to cover the waste pipes. Height 300mm. | | | | |
| | | | | | |
| | <u>Bathroom Edge trims</u> | | | | |
| 70 | Aluminium tile Edge Trims to top of wall tiles | m | 50 | | R |
| | | | | | |
| 71 | Aluminium tile Edge Trims to corners | m | 31 | | R |
| | <u>Ceilings and Partitions etc</u> | | | | |
| | Lafarge Gypsum lay in-grid ceiling system with 1200 x 600 x 12mm thick square edged Jumbo Fissured vinyl tiles, laid on 15 x 38mm high double stitched slotted main tees at 1200mm centres with galvanised exposed face all in colour White, including necessary grids, and shadow line wall angle, locking type end clips, fire expansion punch outs to main tees etc, suspended by 25 x 0,8mm galvanised strapping not exceeding 1200mm centres. All in accordance with SABISA installation guidelines. | | | | |
| | | | | | |
| 72 | Install suspended ceiling to offices ground | m2 | 140 | | R |
| 73 | Install suspended ceiling to toilets | m2 | 51 | | R |
| | | | | | |
| | <u>Lighting</u> | | | | |
| | Supply and installation of 1200x600 Osram ledvance led panel IP54 day light fittings on the lay in grid suspended ceilings (CSIR Facilities services to install the small power supplies or connections) | | | | |
| | | | | | |
| 74 | Install to offices | No | 18 | | R |
| 75 | Install to toilets | No | 8 | | R |

| | | | | | |
|----|---|----|-----|--|---|
| | | | | | |
| | <u>Stair at main entrance</u> | | | | |
| | <u>from ground to second floor</u> | | | | |
| | PAINTING OF WALLS | | | | |
| 76 | Walls | m2 | 100 | | R |
| | The measurements are including windows, doors and their frames, note allow for painting of windows and sills heads and sides to the opening as well. Allow for painting of doors and doorframes etc | | | | |
| | Allow for all access equipment | | | | |
| | <u>Central Lobby at ground and first floor</u> | | | | |
| | | | | | |
| | PAINTING OF WALLS | | | | |
| 77 | Walls | m2 | 180 | | R |
| | The measurements are including windows, doors and their frames, note allow for painting of windows and sills heads and sides to the opening as well. Allow for painting of doors and doorframes etc | | | | |
| | | | | | |
| 78 | Concrete soffit | m2 | 120 | | R |
| | The measurements include sided of existing down stand beams | | | | |
| | | | | | |
| | PAINT TO METAL | | | | |
| | Prepare surface by removing loose materials, sand down existing previously painted steel, prepare steel frame surface with primer. Apply two coats water-based enamel | | | | |
| | | | | | |
| 79 | Paint to door frames | m | 80 | | R |
| | Note paint to internal side and the sides of the opening pane as well | | | | |
| | | | | | |

| | | | | | |
|----|--|----|------|--|---|
| | TIMBER | | | | |
| | Varnish to timber window frames | | | | |
| 80 | Surface to be dry, sound and clean. Prime with one coat of primer with an overcoating time of 16 hours and finish with waterproof varnish (4 coats with light sanding in-between coats to create a smooth surface | m2 | 88.2 | | R |
| | | | | | |
| | TIMBER | | | | |
| | PAINT TO DOORS | | | | |
| 81 | Doors both sides | m2 | 84 | | R |
| | Surface to be dry, sound and clean. Prime with one coat of primer with an overcoating time of 16 hours and finish with 2coats premium quality velvet sheen wall paint that is highly washable and stain resistant. (with 15year guarantee) | | | | |
| | | | | | |
| 82 | Timber or Brick skirting | m | 90 | | R |
| | Surface to be dry, sound and clean. Prime with one coat of wood primer with an overcoating time of 16 hours and finish with two coats of paint | | | | |
| | | | | | |
| | FLOOR COVER | | | | |
| 83 | Allow for the removal of existing floor cover and cart offsite | m2 | 120 | | R |
| | Prepare surface by removing all existing glues and prep floor to receive new vinyl | | | | |
| | | | | | |
| 84 | Allow for self-levelling screed and make level for fixing of new vinyl planks | m2 | 120 | | R |
| | Prepare surface by removing all existing glues and prep floor to receive new vinyl | | | | |
| | | | | | |
| | Vinyl planks | | | | |

| | | | | | |
|----|---|------|-----|--|---|
| 85 | Apply heavy commercial vinyl planks, allow for cutting and waste | m2 | 120 | | R |
| | 1500 x 230mm Peninsula Cherry back Oak vinyl planks 3mm thick with 0.55mm thick wear layer. | | | | |
| | RUBBLE | | | | |
| 86 | Allow for rubble removal | Item | 1 | | R |
| | | | | | |
| 87 | Allow for Safety and regulatory requirements | Item | 1 | | R |
| | | | | | |
| 88 | Scaffold for project | Item | 1 | | R |
| | | | | | |
| 89 | Subtotal | | | | R |
| | | | | | |
| 90 | Contingency amount' | 10% | | | R |
| | | | | | |
| 91 | Subtotal | | | | R |
| | | | | | |
| 92 | VAT | 15% | | | R |
| | | | | | |
| 93 | Total Bid Price | | | | R |
| | | | | | |

Annexure C
Standard Bidding Document (SBD) 1

PART A: INVITATION TO BID

| | | | | | |
|---|---|------------------|---|-------------------------------|--|
| YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE CSIR | | | | | |
| BID NUMBER: | RFQ No. 9436/21/11/2023 | CLOSING DATE: | 21 November 2023 | CLOSING TIME: | 16h30 |
| DESCRIPTION | For the Refurbishment of Building 33 North Block Ground and First Floor to the CSIR Scientia, Pretoria. | | | | |
| BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS) | | | | | |
| The CSIR requires that all tender submissions be submitted electronically to tender@csir.co.za . Should tender file size exceed 25MB, bidders submit tender in multiple emails. Use the tender number RFQ No. 9436/21/11/2023 and description of the tender as the subject on your email. | | | | | |
| BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO | | | TECHNICAL ENQUIRIES MAY BE DIRECTED TO: | | |
| CONTACT PERSON | | CONTACT PERSON | | | |
| TELEPHONE NUMBER | | TELEPHONE NUMBER | | | |
| FACSIMILE NUMBER | | FACSIMILE NUMBER | | | |
| E-MAIL ADDRESS | tender@csir.co.za | E-MAIL ADDRESS | tender@csir.co.za | | |
| SUPPLIER INFORMATION | | | | | |
| NAME OF BIDDER | | | | | |
| POSTAL ADDRESS | | | | | |
| STREET ADDRESS | | | | | |
| TELEPHONE NUMBER | CODE | | NUMBER | | |
| CELLPHONE NUMBER | | | | | |
| FACSIMILE NUMBER | CODE | | NUMBER | | |
| E-MAIL ADDRESS | | | | | |
| VAT REGISTRATION NUMBER | | | | | |
| SUPPLIER COMPLIANCE STATUS | TAX COMPLIANCE SYSTEM PIN: | | OR | CENTRAL SUPPLIER DATABASE No: | MAAA |
| 1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED? | <input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF] | | 2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED? | | <input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW] |
| QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS | | | | | |
| IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? | | | | | <input type="checkbox"/> YES |
| <input type="checkbox"/> NO | | | | | |

DOES THE ENTITY HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? ☐ YES ☐ NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? ☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. **THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).**

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....

Annexure D
Standard Bidding Document (SBD) 4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? YES ☐ / NO ☐

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

| Full Name | Identity Number | Name of State institution |
|-----------|-----------------|---------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES ☐ /NO ☐

2.2.1 If so, furnish particulars:

.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES ☐ /NO ☐

2.3.1 If so, furnish particulars:

.....

3 DECLARATION

I, the undersigned, (name).....in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

| | |
|-----------|----------------|
| | |
| Signature | Date |
| | |
| Position | Name of bidder |

Annexure E

Preference Points Award Form in Terms of the Preferential Procurement Regulations 2022

This preference form must form part of all bids invited. It contains general information and serves as a claim form for the preference points allocated on the basis of specific goals outlined in point 3 below.

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to this bid:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included).
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included), The lowest acceptable tender will be used to determine the applicable preference point system.

1.2 Points for this bid shall be awarded for:

- (a) Price; and
- (b) Preference Points based on specific goals.

1.3 The maximum points for this bid are allocated as follows:

| | POINTS |
|---|------------|
| PRICE | 80 |
| Preference Points | 20 |
| Total points for Price and Preference Points must not exceed | 100 |

1.4 Failure on the part of a bidder to submit proof of preference points together with

the bid, will be interpreted to mean that preference points are not claimed.

- 1.5 The CSIR reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the CSIR.

2. POINTS AWARDED FOR PRICE

2.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for price of bid under consideration

P_t = Price of bid under consideration

P_{\min} = Price of lowest acceptable bid

3. PREFERENCE POINTS AWARDED

- 3.1 In terms of Regulation 4 (2) and 4 (2) of the Preferential Procurement Regulations, preference points may be awarded to a bidder for the specific goal specified for the tender in accordance with the table below:

- 3.2 Specific goals must be determined per tender.

| Specific Goals | Preference Points |
|-----------------|-------------------|
| Black Ownership | 20 |
| Total | 20 |

- 3.3 Total preference points per specific goal to be determined per tender.

- 1.3.1. Total preference points per specific goal to be awarded as follows:

- 1.3.1.1. Preferential points for black ownership will be awarded as follows:

| Black Ownership | % of Preferential points |
|---|--------------------------|
| Bidder with 100% black ownership | 100% |
| Bidder with 51% to 99% black ownership | 50% |
| Bidder with less than 51% black ownership | 0% |

1.4. Joint Ventures, Consortiums and Trusts

A trust, consortium or joint venture³, will qualify for preference points as a legal entity (Incorporated), provided that the entity submits its valid B-BBEE certificate. Only valid BBBEE certificates issued by SANAS accredited verification agency will be considered for allocation of points.

A trust, consortium or joint venture will qualify for preference points as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid. Only valid consolidated BBBEE certificates issued by SANAS accredited verification agency will be considered for allocation of points.

Bidders must submit concrete proof of the existence of joint ventures and/or consortium arrangements. The CSIR will accept signed agreements as acceptable proof of the existence of a joint venture and/or consortium arrangement. Furthermore, in bids where unincorporated joint venture and/or consortium/sub-contractors are involved, each party must submit a separate TCS PIN and CSD number.

The joint venture and/or consortium agreements must clearly set out the roles and responsibilities of the Lead Partner and the joint venture and/or consortium party. The agreement must also clearly identify the Lead Partner, who shall be given the power of attorney to bind the other party/parties in respect of matters pertaining to the joint venture and/or consortium arrangement.

1.5. Sub-contracting

A bidder must not be awarded preference points if it is indicated in the tender documents that such a bidder intends sub- contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

A bidder awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the bidder concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.

2. BID DECLARATION

Bidders who claim points in respect of specific goals **must** submit the following documents:

| Mandatory documents to claim preference points | Submitted | |
|--|-----------|---------|
| | Yes √ | No √ |
| Valid copy of BBBEE certificate/ sworn affidavit to claim Black Ownership preference points ⁴ | | |

DECLARATION WITH REGARD TO COMPANY/FIRM

Name of company/firm:.....

VAT registration number:.....

Company registration number:.....

I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the documents submitted to claim preference points based on the specific goals are valid, and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 3 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 3, the contractor may be required to furnish further documentary proof to the satisfaction of the CSIR that the awarded are correct;
- iv) If any document is obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the CSIR may, in addition to any other remedy it may have –

⁴ In case of unincorporated trust, consortium or joint venture, they must submit their consolidated B-BBEE scorecard with submitting their **individual B-BBEE Certificate or Sworn Affidavit**, and each party must submit a separate TCS PIN and CSD number.

In case of sub-contracting both parties must submit copies of their valid BBBEE certificates

- (a) disqualify the person from the bidding process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution.
- v) If the CSIR is of the view that a bidder submitted false information regarding a specific goal, it must—
 - (a) inform the bidder accordingly; and
 - (b) give the bidder an opportunity to make representations within 14 days as to why the tender may not be disqualified or, if the tender has already been awarded to the bidder, the contract should not be terminated in whole or in part.
- vi) After considering the representations referred to in subregulation (v)(b), the CSIR may, if it concludes that such information is false—
 - (a) disqualify the bidder or terminate the contract in whole or in part; and
 - (b) if applicable, claim damages from the bidder.

WITNESSES

1.

2.

.....
SIGNATURE(S) OF BIDDERS(S)

DATE:

ADDRESS.....

Annexure F

Mutual Non-Disclosure Agreement

MUTUAL NON-DISCLOSURE AGREEMENT

1 Preamble

The Parties as identified herein are engaged in discussions relating to their potential collaboration in the Field as likewise described therein; are by virtue thereof are required to disclose Confidential Information to one another, and have agreed to do so subject to the terms and conditions as set out in this agreement.

2 Definitions

2.1 The following words and/or phrases, when used in this agreement, shall have the following meanings:

2.1.1 “Confidential Information” shall mean all scientific, technical, business, financial, past, present or future research, development, business activities, products, services and technical knowledge or marketing information, whether inside or outside the Field, which one party (the “Disclosing Party”) discloses to the other party (the “Receiving Party”) in connection with the discussions, and either has been identified in writing as confidential or is of such a nature (or has been disclosed in such a way) that it should be obvious to the Receiving Party that it constitutes Confidential Information. (Without limiting the generality of the foregoing, “Confidential Information” shall include any information that falls within the definition of ‘Personal Information’)

2.1.2 “Disclosing Party” shall mean the Party disclosing Confidential Information under this agreement;

2.1.3 “Disclosing Purpose” shall mean, as pertains to any particular joint opportunity(ies) in the Field, the discussions held or to be held between the Parties regarding their possible collaboration and future working relationship with regards to any such opportunity(ies);

2.1.4 “Effective Date” shall mean the date of the commencement of this agreement herein”;

2.1.5 “Notice” shall mean a written document addressed by one Party to the other and either delivered by hand; sent per registered post or telefaxed to the addresses as indicated herein”;

2.1.6 “Personal Information” means any information that falls within the definition of ‘Personal Information’ as defined in the Protection of Personal Information Act, No 4 of 2013 (“POPI”);

2.1.7 “Receiving Party” shall mean the Party receiving Confidential Information under this agreement;

“Responsible Party” means a public or private body or any other person which, alone or in conjunction with others, determines the purpose of and means for processing personal information, as defined in POPI.

3 Obligation of Confidentiality

3.1 The Receiving Party undertakes and agrees:

3.1.1 to use the Disclosing Party’s Confidential Information only to give effect to the Disclosing Purpose;

3.1.2 to hold in strict confidence and not to publish or disclose to any unauthorised third parties any of the Confidential Information of the Disclosing Party without the prior written consent of the Disclosing Party;

3.1.3 to use the same degree of care (and in any event not less than reasonable care) to safeguard the confidentiality of the Disclosing Party’s Confidential Information that it uses to protect its own information of like kind;

3.1.4 to limit any disclosure of such Confidential Information only to those of its employees and professional advisors who have a specific need – to- know to access such Confidential Information and either entered into a written agreement which impose, or are otherwise bound by the same restrictions as those imposed upon it by virtue of this agreement;

3.1.5 not to disclose or reveal to any third party, whomsoever, either the fact that discussions or negotiations are taking, or have taken, place between the Parties; the content of any such discussions, or other facts relating to the Disclosing Purpose;

3.1.6 on termination of this agreement, to act with the Disclosing Party’s Confidential Information in accordance with a Notice delivered to it by the Disclosing Party, and if no such Notice is delivered to the Recipient, to destroy the Disclosing Party’s Confidential Information in a similar manner to which it would destroy its own Confidential Information.

4 Protection of Personal Information

4.1 The Party(ies) undertake(s) to:-

4.1.1 comply with the provisions of POPI as well as all applicable legislation as amended or substituted from time to time;

4.1.2 treat all Personal Information strictly as defined within the parameters of POPI;

4.1.3 process Personal Information only in accordance with the consent it was obtained for, for the purpose agreed, any lawful and reasonable written instructions received from the applicable Responsible Party and as permitted by law;

4.1.4 process Personal Information in compliance with the requirements of all applicable laws;

4.1.5 secure the integrity and confidentiality of any Personal Information in its possession or under its control by taking appropriate, reasonable technical and organisational measures to prevent loss, damage, unauthorised destruction, access, use, disclosure or any other unlawful processing of Personal Information;

- 4.1.6 not transfer any Personal Information to any third party in a foreign country unless such transfer complies with the relevant provisions of POPI regarding transborder information flows; and
- 4.1.7 not retain any Personal Information for longer than is necessary for achieving the purpose in terms of this Agreement or in fulfilment of any other lawful requirement.
- 4.2 The Party(ies) undertake(s) to ensure that all reasonable measures are taken to:
 - 4.2.1 identify reasonably foreseeable internal and external risks to the Personal Information in its possession or under its control;
 - 4.2.2 establish and maintain appropriate security safeguards against the identified risks;
 - 4.2.3 regularly verify that the security safeguards are effectively implemented;
 - 4.2.4 ensure that the security safeguards are continually updated in response to new risks or deficiencies in previously implemented safeguards;
 - 4.2.5 provide immediate notification to the Responsible Party if a breach in information security or any other applicable security safeguard occurs; provide immediate notification to the Responsible Party where there are reasonable grounds to believe that the Personal Information has been accessed or acquired by any unauthorised person;
 - 4.2.6 remedy any breach of a security safeguard in the shortest reasonable time and provide the Responsible Party with the details of the breach and, if applicable, the reasonable measures implemented to address the security safeguard breach;
 - 4.2.7 provide immediate notification to the Responsible Party where either party has, or reasonably suspects that, Personal Information has been processed outside of the purpose agreed to or consented to;
 - 4.2.8 provide the Responsible Party, upon request, with all information of any nature whatsoever relating to the processing of the Personal Information for the purpose in terms of this Agreement and any applicable law; and
 - 4.2.9 notify the CSIR, if lawful, of receipt of any request for access to Personal Information, in its possession and relating to the CSIR.
- 4.3 The CSIR reserves the right to inspect the Personal Information processing operations, as well as the technical and organisational information security measures employed by the contracting Party to ensure compliance with the provisions of clause 4.
- 4.4 The provisions of clause 4 shall survive the termination of this Agreement, regardless of cause, in perpetuity.

5 Exclusions

- 5.1 The Receiving Party recognises that this agreement is not intended to restrict use or disclosure of any portion of the Disclosing Party's Confidential Information which:
 - 5.1.1 is as at the Effective Date, or later, made known to the public or otherwise enters the public domain through no default by the Receiving Party of its obligations under this Agreement;
 - 5.1.2 it can show was in its possession prior to the earliest disclosure by the Disclosing Party, as evidenced by written documents in its files;
 - 5.1.3 is rightfully received by it from a third party having no obligation of confidentiality to the Disclosing Party;
 - 5.1.4 is independently developed by the Receiving Party by a person(s) who did not have access to the Confidential Information of the Disclosing Party;
 - 5.1.5 is disclosed by the Receiving Party after receipt of written permission from the Disclosing Party; or
 - 5.1.6 it is requested or required by subpoena, court order, or similar process to disclose, provided that, in such an event, it will provide the Disclosing Party with prompt written notice of such request(s) so that the latter may seek an appropriate protective order and/or waive the Receiving Party's compliance with the provisions of this agreement.

6 Ownership and Provision of Information

- 6.1 The Disclosing Party shall retain ownership of all its Confidential Information as disclosed hereunder.
- 6.2 Nothing contained in this agreement or in any disclosures made hereunder shall create or imply, or be construed as to grant to the Receiving Party any license or other rights in or to the Confidential Information and/or any intellectual property rights attached thereto, or act as a waiver of any rights that the Disclosing Party may have to prevent infringement or misappropriation of any patents, patent applications, trademarks, copyright, trade secrets, know-how or other intellectual property rights owned or controlled by the Disclosing Party as at the Effective Date.
- 6.3 The Disclosing Party provides the Confidential Information "as is" and accordingly no disclosure thereof by it hereunder shall constitute any representation, warranty, assurance, guarantee or inducement by such Disclosing Party with respect to infringement of patents or other rights of third parties, nor is any warranty or representation as to the accuracy, completeness, or technical or scientific quality of any of the Disclosing Party's Confidential Information provided hereunder. (For the avoidance of doubt it is stated expressly that the Disclosing Party neither makes, nor have made, any representation or warranty as to the merchantability or fitness for a particular purpose

of any Confidential Information disclosed hereunder).

7 Term of Obligation

7.1 The Parties' obligations concerning non-disclosure of Confidential Information contained in the above clauses shall commence on the Effective Date and shall continue for five (5) years from the date of each disclosure, unless otherwise agreed between the parties in writing, where after such obligations shall forthwith terminate.

8 No Violation

8.1 Each party represents that its compliance with the provisions of this agreement will not violate any duty which such party may have towards any third party, including obligations concerning the provision of services to others, confidentiality of information and assignment of inventions, ideas, patents or copyright.

9 Breach

9.1 It is acknowledged that the breach of this agreement by the Receiving Party would cause the Disclosing Party irreparable injury not compensable in monetary damages alone. Accordingly, in the event of a breach, or a threat of a breach, the Disclosing Party, in addition to its other remedies, is entitled to a restraining order, preliminary injunction or similar relief so as to specifically enforce the terms of this agreement or prevent, cure or reduce the adverse effects of the breach.

10 DOMICILIUM CITANDI ET EXECUTANDI

10.1 The Parties hereto respectively choose as their *domicilium citandi et executandi* for all purposes of, and in connection with this agreement, the physical addresses and contact details stated herein.

11 Notices

11.1 Any Notice to be given hereunder shall be given in writing and may be given either personally or may be sent by post or facsimile and addressed to the relevant party at its *domicilium citandi et executandi* address as chosen herein. Any notice given by post shall be deemed to have been served on the expiry of 7 (seven) working days after same is posted by recorded delivery post or air mail. Any notice delivered personally or sent by facsimile shall be deemed to have been served at the time of delivery or sending.

12 Governing Law and Jurisdiction

12.1 This agreement will be governed and construed by the laws of the Republic of South Africa and the Parties hereby submit to the exclusive jurisdiction

of the South African courts to hear any dispute arising therefrom which the Parties are unable to settle amicably.

13 General

13.1 This agreement comprises the entire agreement between the parties concerning the subject matter and supersedes all prior oral and written agreements between them.

13.2 No waiver, alteration or cancellation of any of the provisions of the Agreement shall be binding unless made in writing and signed by the party to be bound.

13.3 The parties hereby warrant that the officials signing this agreement have the power to do so on behalf of the parties.

13.4 No public announcement, such as a media release, or disclosure beyond those disclosures authorised for Confidential Information hereunder may be made by either party concerning this agreement without the prior written approval of the other party.

13.5 Neither party is, by virtue of this agreement, authorised to use the name, logo(s) or trademarks of the other in connection with any advertising, publicity, marketing or promotional materials or activities, or for any other purpose whatsoever, without the prior written consent of the other party. For purposes of this clause, it is also recognised that, under the provisions of section 15 (1) of the Merchandise Marks Act, Act No 17 of 1941 of the Republic of South Africa, the use of the abbreviation of the name of the Council for Scientific and Industrial Research, "WNNR" and CSIR, is prohibited in connection with any trade, business, profession or occupation or in connection with a trade mark, mark or trade description applied to goods, other than with the consent of the CSIR.

13.6 Both Parties shall remain free to use, in the normal course of its business, its general knowledge, skills and experience incurred before, during or after the discussions envisaged hereunder. (To this end, it is also recorded that nothing in this Agreement shall be construed as constituting an exclusive arrangement between the parties and both Parties shall remain free to explore market opportunities in the Field, unless otherwise agreed to in writing in a subsequent agreement.)

**Annexure F
Mutual Non-Disclosure Agreement**

ANNEXURE F: MUTUAL NDA

14 Parties to the NDA

THE CSIR, a statutory council, duly established under Act 46 of 1988,

and

The Bidder (Name).....

Company registration number:....., with

limited liability duly incorporated under the applicable laws of the Republic of South

Africa herein represented by

in his/her capacity as

and he/she being duly authorised thereto.

15 Contact Details for Purposes of Clause 10:

15.1 The CSIR

Physical Address:

Meiring Naude Road

Brummeria

Pretoria

0002

Postal Address:

PO BOX 395

Pretoria

0001

Email: Tender@csir.co.za

The Bidder (Name)......

Physical Address:

Postal Address:

Email:

16 Signature (Bidder):

SIGNED ON THIS THE.....DAY OF.....AT..... IN

THE PRESENCE OF THE FOLLOWING WITNESSES:

1.....

2.