# **ENVIRONMENTAL IMPACT ASSESSMENT**

Updated Final Environmental Impact Assessment Report for the Proposed Construction, Operation and Decommissioning of a Seawater Reverse Osmosis Plant and Associated Infrastructure in Tongaat, Kwazulu-Natal

UPDATED
FINAL
EIA
REPORT



APPENDIX B:

Amended EIA Application



APPLICATION FORM FOR ENVIRONMENTAL

# AUTHORISATION1

	(For official use only)
File Reference Number:	
NEAS Reference Number:	DEA/EIA/
Date Received:	

Application for authorisation in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998), (the Act) and the Environmental Impact Assessment Regulations, 2010 (the Regulations)

# **PROJECT TITLE**

Environmental Impact Assessment for the Construction, Operation and Decommissioning of a 150 Ml/day Sea Water Reverse Osmosis (SWRO) Plant and associated infrastructure proposed by Umgeni Water at Tongaat on the KwaZulu-Natal North Coast.

#### Kindly note that:

- 1. This application form is current as of 1 October 2013. It is the responsibility of the applicant to ascertain whether subsequent versions of the form have been published or produced by the competent authority.
- 2. The application must be typed within the spaces provided in the form. The sizes of the spaces provided are not necessarily indicative of the amount of information to be provided. Spaces are provided in tabular format and will extend automatically when each space is filled with typing.
- 3. Where applicable **black out** the boxes that are not applicable in the form.
- 4. Incomplete applications will be rejected in terms of Regulation 13(2) of GN R. 543 and returned to the applicant for revision and resubmission.
- 5. The use of the phrase "not applicable" in the form must be done with circumspection. Should it be done in respect of material information required by the competent authority for assessing the application, it may result in the rejection of the application as provided for in the Regulations.
- 6. This application must be handed in at the offices of the relevant competent authority as determined by the Act and Regulations.
- 7. No faxed or e-mailed applications will be accepted. Only original signed copies will be accepted.
- 8. Unless protected by law, all information filled in on this application form will become public information on receipt by the competent authority. Any interested and affected party should and shall be provided with the information contained in this application on request, during any stage of the application process.
- Should a specialist report or report on a specialised process be submitted at any stage for any part of this application, the terms of reference for such report and declaration of interest of the specialist must also be submitted.

1

<sup>&</sup>lt;sup>1</sup> Version 1, dated 1 October 2013

#### Queries must be addressed to the contact hereunder:

# **Departmental Details**

# Postal address:

Department of Environmental Affairs

Attention: Director: Integrated Environmental Authorisations

Private Bag X447

Pretoria 0001

# Physical address:

Department of Environmental Affairs

Fedsure Forum Building (corner of Pretorius and Lillian Ngoyi Streets)

4<sup>th</sup> Floor South Tower 315 Pretorius Street

Pretoria 0002

Queries should be directed to the Directorate: Integrated Environmental Authorisation at:

Tel: 012-395-1768 Fax: 012-320-7539

E-mail: EIAAdmin@environment.gov.za

Please note that this form <u>must</u> be copied to the relevant provincial environmental department/s.

View the Department's website at <a href="http://www.environment.gov.za/">http://www.environment.gov.za/</a> for the latest version of the documents.

#### 1. PROJECT DESCRIPTION

Please provide a **detailed** description of the project.

Umgeni Water Amanzi (hereinafter referred to as Umgeni Water) is proposing to construct and operate a 150Ml/day Seawater Reverse Osmosis (SWRO) desalination plant at Tongaat, north of Durban, within the eThekwini Municipality in the province of KwaZulu-Natal. The proposed plant will supply fresh water to the eThekwini municipality (50%) and to the llembe District (50%). The proposed plant will produce 150 Ml/day of freshwater when at final capacity, and will have an average inflow rate of 389 Ml/day. To give one an idea of volume and scale, this would equate to providing 187 500 four-person households with water daily assuming a 200 l/person/day scenario. The proposed project requires a Scoping and Environmental Impact Assessment (EIA) in terms of the **2010 NEMA EIA Regulations** (as amended).

The location for the proposed SWRO has been selected based on pre-feasibility and site screening studies. The proposed site for the desalination plant is located within 200 m of the ocean shore. Currently, the land at the proposed site is used mainly for market gardening and residence (including 3 – 5 permanent houses, which would need to be demolished as a result of the proposed project).

Reverse Osmosis (RO) is a membrane filtration process used to reduce the salinity of seawater to potable standards. The process works by applying pressure to overcome the natural osmotic pressure of seawater. This works by forcing pre-treated (filtered) seawater through a semi-permeable membrane, from a region of high salinity (the seawater side) to a region of low salinity (the freshwater side). This process retains the brine (high salinity) on one side and allows freshwater (very low salinity) to be produced as potable water for drinking. The overall output of the SWRO system, from intake structure to finished water, will be a maximum of 40 - 45% desalinated water (i.e. 55-60% of the seawater abstracted will be returned to the sea as brine). Concentrate will exit the RO system at pressure ranging from 0.4 to 0.6 bars, assuming that a pressure exchanger type energy recovery system is used.

An area of approximately 1 ha is required for construction and lay-down of the offshore pipework/tunnels, which will be reinstated.

The proposed project will entail the construction of the following key infrastructural components:

- Seawater Intake: On average, 389 MI/day of seawater will be abstracted from the marine environment via an intake structure located approximately 650 m from the shore at a water depth of about 20 m. Water will be drawn in through coarse screens on the intake structure, at a height of between 4 m and 6 m above the seabed, in order to avoid the intake of marine sediment and floating matter. A low inflow velocity of less than 0.15 m/s will reduce the intake of small fish and other marine organisms. Seawater passing through the intake structure will be transported to the proposed desalination plant via a 220 m long seawater intake pipeline laid on the seabed and a 680 m tunnel which will be excavated in rock under the surf zone and under the beach, the coastal forest and the M4 highway to the pump station. Refer to the explanation below regarding the routing of the seawater pipelines.
- Seawater Pump Station: A seawater pump station is proposed within the footprint of the desalination plant. It is anticipated that the excavation for the invert of the pump station sump is likely to be at 11 m below Mean Sea Level (MSL). This is based on the

- requirement that the sump at the pump station be deep enough to allow for gravitational inflow of the seawater into the sump.
- **SWRO Desalination Plant:** The EIA is assessing the sitting of the desalination plant at a proposed site located approximately 200 m from the shore. The footprint area of the proposed desalination plant itself and associated infrastructure would be about 7 ha.
- Brine Discharge Pipeline and Diffuser System: From the pump station, the brine discharge pipeline will be tunnelled under the M4 highway, the coastal forest and the beach, to a diffuser sited approximately 350 m from the shore at a water depth of approximately 10 to 12 m. The brine discharge pipelines will be shorter than the seawater intake pipelines to ensure adequate dilutions are obtained and to avoid short-circuiting of higher salinity concentrations at the intake system. Brine will be discharged via a number of outlet ports in the diffuser. The diffuser pipeline on the sea bed will extend approximately 60 m in length. Rosette-style diffusers and pipeline-style diffusers (which consist of nozzles) could possibly be utilised. These pipelines will discharge the dense brine upwards into the water column to provide good mixing with the ambient seawater. The "plume" of higher salinity would be distributed in an along-shore direction (i.e. the prevailing current direction), as well as seaward. Refer to the detailed explanation below.
- Potable Water Pipelines: The integration of the proposed desalination plant requires construction of three potable water pipelines. The first potable water pipeline will lead from the desalination plant in a north-west direction to the La Mercy Reservoir. From there, a second potable water pipeline will continue north-westwards from the La Mercy Reservoir to the Hazelmere Bifurcation pipeline (Tying into the Hazelmere Bifurcation pipeline would allow for water to be delivered to both the north and to the south by reversing the flow in the bifurcation pipeline). The third pipeline will extend from the La Mercy Reservoir in a south-west direction following the direction of the N2 National Road before turning westwards and coming to an end at the Waterloo Reservoir. The potable water pipelines will be developed with a capacity of 150 Ml/day.

Potable Water Pipeline	Length
Tongaat Desalination Plant to La Mercy Reservoir	2.34 km
La Mercy Reservoir to Hazelmere Bifurcation Pipeline	2.67 km
La Mercy Reservoir to Waterloo Reservoir	11.41 km
TOTAL	16.42 km

• Power Supply Infrastructure: The proposed SWRO desalination plant is anticipated to have a total energy demand of approximately 32 MW (i.e. approximately 4 kWh/m³ of potable water produced, while additional power will be required to pump water to the plant from the sea and to deliver potable water to the bulk supply infrastructure). It is expected that the total electrical connection to the 150 Ml/day plant would be approximately 40 Megavolt Amperes (MVA). The extent of energy required for the proposed desalination plant will be sourced from Eskom's national electricity grid. Power supplied to the proposed desalination plant would be via a substation with a 132 kVA transmission stepped-down to 11 kVA. A single-circuit 132 kV transmission line is planned to be constructed from the nearest substation located outside the boundary of the proposed desalination plant. The nearest 132 kV point of supply is indicated as Mdloti Substation. The proposed transmission line will consist of lattice towers and pile type foundations. The

power supply to the sea water pump station would be extended from the desalination plant site via an 11 kV overhead line.

Specifically in terms of the effluent generation and discharge process, the proposed desalination plant would have facilities for the collection and environmentally safe disposal of waste streams generated during the water treatment. The proposed plant would generate the following waste streams:

- Concentrate from the RO desalination process (i.e. brine from the proposed SWRO process, which will be discharged to the sea);
- Spent backwash water from the pre-treatment filtration system which will be combined with the brine for discharge at sea;
- Filter-to-waste water which will be combined with the brine for discharge at sea;
- RO and spent (used) membrane cleaning solutions and post-flush water which will be combined with the brine for discharge at sea;
- Sludge liquid (and associated solid) wastes and other water treatment units, which is intended for co-discharge with the return brine; and
- Sanitary wastewater (i.e. on-site sewage which is proposed to be treated on-site in a septic tank or package plant system or directed to the local sewer for further treatment in the nearby municipal wastewater treatment plant).

Spent filter backwash water, filter-to-waste water, sludge from lime saturators and spent RO membrane cleaning water would be collected in a discharge retention tank fitted with mechanical mixers or recirculation pumps to keep its content uniformly mixed at all times. This tank will have a retention time of about 1 hour and would also be equipped with feed lines for sodium hydroxide, hydrochloric acid and sodium bisulphite to adjust the water quality in the tank in order to meet the specified discharge requirements. The retention tank would have at least two compartments to facilitate periodic cleaning. Alternatively, two separate discharge retention tanks could be constructed: one dedicated to the pre-filtration waste stream (spent filter backwash water, and lime sludge), and another tank for separate handling of the RO membrane cleaning chemicals and flush water. These liquid waste streams would then be mixed with the RO plant concentrate (brine) and discharged to the ocean through the offshore outfall. The total volume of all liquid waste streams generated by the proposed desalination plant (excluding the RO brine concentrate) is estimated to be approximately 10% of the total plant intake flow (i.e. 38.9 to 42.8 Ml/day). More than 99% of this volume will be seawater (same quality as the abstracted seawater) and will be disposed of with the brine whilst the balance would have small amounts of chemicals in it.

As mentioned above, approximately 55-60% of the seawater intake will return to sea as brine. The total volume of effluent expected to be discharged at sea therefore amounts to 239 Ml/day on average. The brine will be approximately 1.6 times the salinity of seawater (i.e. approximately 58 psu) and will be approximately 1.5 °C above the average background temperature of seawater. The brine will also contain small amounts of coagulants, neutralised antiscalant, cleaning chemicals and other metals (depending on intake water quality). The antiscalants (returned as part of the brine to the sea) will be bio-degradable. The brine may also contain an organic scale inhibitor which will be an approved chemical for potable water systems and will be bio-degradable.


Furthermore, it is likely that the use of a biocide will be required to inhibit biological growth in the pipelines and on the intake coarse screens. If sodium hypochlorite is used, it will be


neutralised with sodium metabisulphite (SMBS) before the feed water enters the RO membranes as the chlorine damages the membranes. The brine stream is therefore not anticipated to contain any active biocide.

Brine is negatively buoyant and will generally sink towards the seabed. To ensure optimum dilution in the near-field, it is envisaged that the nozzle would be configured to discharge at an angle of 60° above horizontal, at a depth of approximately 10 to 20 m below MSL. The brine will be dispersed in ambient seawater in a moving current and at a rate which will depend on the diffuser design and the current velocity.

Between 20 and 100 kg/month of screening material, e.g. large algae retained by the screens, from the fine screens installed at the intake pump station on shore will be collected and disposed of at an appropriate waste landfill facility approximately twice per month. Such screenings are of natural origin and they are biodegradable and can be disposed to a general waste landfill facility.

An effluent flow chart is shown below (Figure 1).





Does the project form part of any of the Strategic Infrastructure Projects (SIPs) as	YES	
described in the National Development Plan, 2011?		

If YES, please indicate which SIPs are applicable in **Appendix 1**.

Please indicate which sector the project falls under by crossing out the relevant block in the table below:

Table 1

Table I			
Green economy + "Green" and energy-saving industries		Greenfield transformation to urban or industrial form (including mining)	
Infrastructure – electricity (generation, transmission & distribution)		Biodiversity or sensitive area related activities	
Oil and gas		Mining value chain	
Biofuels		Potential of metal fabrication capital & transport equipment – arising from large public investments	
Nuclear		Boat building	
Basic services (local government) – electricity and electrification		Manufacturing – automotive products and components, and medium and heavy commercial vehicles	
Basic services (local government) – area lighting		Manufacturing – plastics, pharmaceuticals and chemicals	
Infrastructure – transport (ports, rail and road)		Manufacturing – clothing textiles, footwear and leather	
Basic services (local government access roads)		Forestry, paper, pulp and furniture	
Basic services (local government) – public transport		Business process servicing	
Infrastructure – water (bulk and reticulation)	Х	Advanced materials	
Basic services (local government) – sanitation		Aerospace	
Basic services (local government) – waste management		Basic services (local government) - education	
Basic services (local government) water	Х	Basic services (local government) - health	
Agricultural value chain + agro-processing (linked to food security and food pricing imperatives)		Basic services (local government) - housing	
Infrastructure – information and communication technology		Basic services (local government) security of tenure	
Tourism + strengthening linkages between cultural industries and tourism		Other	
Basic services (local government) – public open spaces and recreational facilities			

Provide details on the anticipated socio-economic values associated with the proposed project

# Table 1

Anticipated CAPEX value of the project on completion	Approximately R4.4 billion.
What is the expected annual income to be generated by or as a result of the project?	R450 million (dependent on tariff and assuming ultimate demand of 150Ml/d).
New skilled employment opportunities created in the construction phase of the project	Unknown at this stage.
New skilled employment opportunities created in the development phase of the project	Unknown at this stage.
New un-skilled employment opportunities created in the construction phase of the project	Anticipated average workforce during the estimated 30 months construction phase is approximately 300 workers (at peak times).
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Approximately 30 employees working over two shifts of 8 hours per day
What is the expected value of the employment opportunities during the development and construction phase?	R 2 870 000.00
, , , , , , , , , , , , , , , , , , ,	Unknown at this stage but in line with Umgeni Water policies in place.
	Unknown at this stage but in line with Umgeni Water policies in place.
The expected current value of the employment opportunities during the first 10 years	Unknown at this stage.
	Unknown at this stage but in line with Umgeni Water policies in place.

# Table 2

Does the listed activity/ies applied for form part of a larger project which is not a listed activity itself e.g. a road that is a listed activity that is needed to access a drilling site where the drilling does not constitute a listed activity.

If indicated yes above, please provide a brief description on how the activity/ies relate to the larger project that forms part there of:

# 2. GENERAL INFORMATION

Project applicant:	Umgeni Water Amanzi		
Registration no (if any):	4960102673		
Trading name (if any):	Umgeni Water		
Responsible position,	CEO – Mr. C.V. Gamede		
e.g. Director, CEO, etc.:			
Contact person:	Phumi Ndlovu		
Physical address:	310 Burger Street		
	Pietermaritzburg		
	3201		
Postal address:	P.O. Box 9		
	Pietermaritzburg		
Postal code:	3200	Cell:	083 581 1904
Telephone:	(031) 268 7172 Fax: (033) 341 1349		
E-mail:	Phumi.Ndlovu@umgeni.co.za	BBBEE	N/A – Umgeni Water is a
		status	state owned entity

Provincial Authority: KwaZulu-Natal Department of Agriculture and Environmental Affairs
Contact person: Yugeshnie Govender

357 Dr. Pixley Kaseme Street (Old West Street) 16th Floor, Murchies Passage Postal address: Eagle Building Durban Postal code: 4001 Cell: 082 921 9340 Telephone: 031 302 2861 031 302 2824 Fax: E-mail: Yugeshni.Govender@kznedtea.gov.za Local municipality eThekwini Municipality Contact person: Dr. Debra Roberts Postal address: P.O. Box 680 Durban Postal code: 4000 Cell: (031) 311 7134 (031) 311 7527 Telephone: Fax: E-mail: RobertsD@durban.gov.za

In instances where there is more than one local authority involved, please attach a list of those local authorities with their contact details as **Appendix 2**.

<u>Note from CSIR:</u> The eThekwini Municipality is a Metropolitan Municipality and as such constitutes both the Local and District Municipality.

Landowner:		
Contact person:		
Postal address:		
Postal code:	Cell:	
Telephone:	Fax:	
E-mail:		

In instances where there is more than one landowner, please attach a list of those landowners with their contact details as **Appendix 3**. If the applicant is not the owner or person in control of the land, proof of notice to the landowner or person in control of the land on which the activity is to be undertaken must be submitted in **Appendix 3**.

<u>Note from CSIR:</u> Please refer to **Appendix 3** for the full list of landowners and proof of notice to all landowners.

Identified Competent Authority to consider the application: Reason(s) in terms of Sec 24C of NEMA 1998 as amended National Department of Environmental Affairs (DEA)

Section 24C of NEMA 1998 as amended states that EIA's pertaining to state owned enterprises should be dealt with by the National DEA. Umgeni Water constitutes a state owned enterprise and therefore the National DEA has been identified as the Competent Authority.

# 3. ENVIRONMENTAL ASSESSMENT PRACTITIONER (EAP) INFORMATION

EAP:	Paul Lochner			
Professional	EAPASA			
affiliation/registration:				
Contact person (if	Annick Walsdorff			
different from EAP):				
Company:	CSIR			
Physical address:	11 Jan Celliers Street, Stellenbo	11 Jan Celliers Street, Stellenbosch 7600		
Postal address:	PO Box 320			
Postal code:	7599	Cell:	083 390 9009	
Telephone:	021 888 2661/2589	Fax:	021 888 2693	
E-mail:	awalsdorff@csir.co.za			

If an EAP has not been appointed please ensure that an independent EAP is appointed as stipulated by Regulation 16 of GN R.543, dated June 2010, prior to the commencement of the process.

The declaration of independence and the Curriculum Vitae (indicating the experience with environmental impact assessment and the relevant application processes) of the EAP must also be submitted to the Department.

Alternatively, exemption may be applied for from the provisions of this regulation.

# 4. SITE DESCRIPTION

Provide a detailed description of the site involved in the application.

Province	KwaZulı	u-Natal				
District Municipality	eThekw	eThekwini Municipality				
Local Municipality	eThekw	ini Munici	pality			
Ward number(s)	58					
Nearest town(s)	Tongaat	t, Desaina	ager, La M	ercy		
Farm name(s) and number(s)						
Portion number(s)						
Coordinates of	Latitude	(S) (DDN	MMSS)	Longitu	de (E) (DD	MMSS)
corner points of study area (if there						
are more than 7 co-						
ordinates, please attach a list as						
Appendix 4)						
For linear						
developments a list of turning points						
must be attached						

<u>Note from CSIR:</u> The eThekwini Municipality is a Metropolitan Municipality and as such constitutes both the Local and District Municipality. The list of coordinates for the study area is attached in **Appendix 4**.

# SG 21 Digit Code(s)

(If there are more than 4, please attach a list with the rest of the codes as Appendix 4) 2 3

Note from CSIR: Refer to Appendix 4 for the list of SG 21 Digit Codes for the study area.

Please attach a copy of the title deed(s) and SG diagram(s) to the application as **Appendix 5**.

Are there any other a	pplications for Environmental Authorisation on the same	0
property?		
If YES, please indicate the	he following:	
Competent Authority		
Reference Number		
Project Name		
Please provide details of	f the steps taken to ascertain this information:	

As indicated below, the National Department of Environmental Affairs was requested to provide information on any Environmental Authorisations on the properties falling within the proposed project area. Given the fact that no response was provided to date, it is assumed that no other applications for Environmental Authorisations exist on DEA's database for the affected properties. Additionally, where possible, the proponent engaged with landowners during the prefeasibility stage of the project and no such information was provided by affected landowners.

Please provide copies of Environmental Authorisations obtained for the same property as **Appendix 6**.

#### 5. **ACTIVITIES TO BE AUTHORISED**

For an application for authorisation that involves more than one listed activity that, together, make up one development proposal, all the listed activities pertaining to this application must be indicated.

It is important to note that this Application for Environmental Authorisation was submitted to the DEA and accepted in terms of the 2010 EIA Regulations (as amended), prior to the promulgation of the new EIA Regulations in GN 982, 983, 984 and 985 on 8 December 2014. However, Section 53 (1) of the Transitional Arrangements, included in Chapter 8 of the 2014 EIA Regulations (i.e. GN R982), states the following:

"53. (1) An application submitted in terms of the previous NEMA regulations and which is pending when these Regulations take effect, including pending applications for auxiliary activities directly related to prospecting or exploration of a mineral or petroleum resource; or extraction and primary processing of a mineral or petroleum resource, must despite the repeal of those Regulations be dispensed with in terms of those previous NEMA regulations as if those previous NEMA regulations were not repealed".

Therefore, in accordance with the Transitional Arrangements included in the 2014 EIA Regulations, i.e. Regulation 53 (1) of the 2014 EIA Regulations, it is understood that the proposed application will be assessed and processed in terms of the 2010 EIA Regulations (as amended). However, for purposes of completeness and relevance, the relevant listed activities of the 2014 EIA Regulations that apply to the proposed project and corresponds to the listed activities included in the original Application for Environmental Authorisation (in accordance with the 2010 EIA Regulations) has been included (as specified in the Transitional Arrangements of the 2014 EIA Regulations). The applicable activities in terms of the 2010 and 2014 EIA Regulations are provided in Table below.

Linked to the above, Section 53 (2) of the Transitional Arrangements of the 2014 EIA Regulations states:

"If a situation arises where an activity or activities, identified under the previous NEMA Notices, no longer requires environmental authorisation in terms of the current activities and competent authorities identified in terms of section 24(2) and 24D of the National Environmental Management Act, 1998 (Act No. 107 of 1998) or in terms of the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008), and where a decision on an application submitted under the previous NEMA regulations is still pending, the competent authority will consider such application to be withdrawn".

Therefore, based on the above, it is understood that certain listed activities that were included in the original Application for Environmental Authorisation that was submitted to the DEA on 12 December 2013 may no longer be applicable to the proposed project. An updated list of listed activities is presented in the Table below.

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity
GN R544 Item 9 (i, ii):  The construction of facilities or infrastructure exceeding 1000 metres in length for the bulk transportation of water, sewage or storm water -  1. with an internal diameter of 0,36 metres or more; or  2. with a peak throughput of 120 litres per second or more,  excluding where - such facilities or infrastructure are for bulk transportation of water, sewage or storm water or	GN R983 Item 9 (i, ii):  The development of infrastructure exceeding 1000 metres in length for the bulk transportation of water or storm water -  with an internal diameter of 0,36 metres or more; or  with a peak throughput of 120 litres per second or more; excluding where-  (a) such infrastructure is for bulk transportation of water or storm water or storm water drainage inside a road reserve; or (b) where such development will occur within an urban area.	Pipelines will be required to transport raw water abstracted from the sea to the proposed desalination plant, and potable water from the desalination plant to Umgeni Water's bulk water supply systems. These pipelines will cumulatively exceed 1 000 m in length and will be designed with an internal diameter greater than 1.0 m. The rates of peak throughput are anticipated to exceed 120l/s. These will be confirmed during the detailed engineering design phase.  Portions of the pipeline routing may occur within existing road reserves, while construction of pipeline infrastructure would occur outside of urban areas. This will be confirmed in
storm water drainage inside a road reserve; or where such construction will occur within urban areas but further than 32 metres from a watercourse, measured from the edge of the watercourse.		the detailed engineering design phase.
GN R544 Item 10 (i):	GN R983 Item 11 (i):	Electrical infrastructure will be required to provide power to the proposed development and will most likely be located
The construction of facilities or infrastructure for the transmission and distribution of electricity, outside urban areas or industrial complexes with a capacity of more	The development of facilities or infrastructure for the transmission and distribution of electricity –	outside an urban area. The voltage and exact location of such infrastructure will be finalised during the detailed engineering design phase.
than 33 but less than 275 kilovolts.	(i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts.	Based on the detailed feasibility study undertaken in June 2015 by the Applicant and their appointed consulting engineers, the power supply to the proposed 150 Ml/day desalination plant is approximately 32MW, with the following requirements:
		<ol> <li>A 132kV transmission line from the nearest substation located outside the desalination plant boundary (as shown in Figure 2.21).</li> <li>A 132kV to 11kV step-down substation.</li> <li>30 MVA bulk supply point at 11kV.</li> <li>A 11 kV line from the sub-station to the pump station</li> </ol>

Detailed description of listed activities associated with the	ine project	
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity
GN R544 Item 11 (vi, x, xi):  The construction of:	GN R983 Item 12 (vi, x, xii; a and c):  The development of-  (vi) bulk storm water outlet structures exceeding 100 square metres in size;  (x) buildings exceeding 100 square metres in size;  (xii) infrastructure or structures with a physical footprint of 100 square metres or more;  where such development occurs –  (a) within a watercourse;  (b) in front of a development setback; or	Pipeline and powerline infrastructure proposed as part of the desalination project will traverse watercourses in the region. The construction of new buildings and supporting infrastructure exceeding 100 m² will be required within 32 m of a watercourse (at the proposed desalination plant site). Bulk storm water systems and associated outlet structures at the desalination plant will be appropriately designed during the detailed design phase and may be located within 32 m of a watercourse. Further investigation into these aspects of the proposed development will form part of the detailed engineering design phase.  The wetland offset activities will include the creation of berms, infiltration trenches within 32m of a watercourse.
	(c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; - excluding- (aa) the development of infrastructure or structures within existing ports or harbours that will not increase the development footprint of the port or harbour; (bb) where such development activities are related to the development of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies; (cc) activities listed in activity 14 in Listing Notice 2 of 2014 or activity 14 in Listing Notice 3 of 2014, in which case that activity applies; (dd) where such development occurs within an urban area; or (ee) where such development occurs within existing roads or road reserves.	
GN R544 Item 13:	GN R983 Item 14:	Pre- and post- water treatment chemicals will be required at the proposed desalination plant and the capacity of is not

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	expected to exceed 80 m³. However, at this stage it is uncertain exactly what quantities of dangerous goods will be used during operation of the desalination plant. Further investigation into these aspects of the proposed development will form part of the detailed engineering design phase and will be based on the results of the pilot plant. This activity is therefore kept in this EIA application in the event that the results from the pilot plant investigations show that the quantities of chemicals required to be stored exceed the anticipated amounts.	
The construction of facilities or infrastructure for the storage, or for the storage and handling, of a dangerous good, where such storage occurs in containers with a combined capacity of 80 but not exceeding 500 cubic metres.	The development of facilities or infrastructure, for the storage, or for the storage and handling, of a dangerous good, where such storage occurs in containers with a combined capacity of 80 cubic metres or more but not exceeding 500 cubic metres.		
GN R544 Item 14:	GN R983 Item 15:	The intake and discharge marine pipelines will transect the Coastal Public Property and will cover an area exceeding 50	
<ol> <li>The construction of structures in the coastal public property where the development footprint is bigger than 50 square metres, excluding</li> <li>the construction of structures within existing ports or harbours that will not increase the development footprint or throughput capacity of the port or harbour;</li> <li>the construction of a port or harbour, in which case activity 24 of Notice 545 of 2010 applies; and</li> <li>the construction of temporary structures within the beach zone where such structures will be demolished or disassembled after a period not exceeding 6 weeks.</li> </ol>	<ul> <li>The development of structures in the coastal public property where the development footprint is bigger than 50 square metres, excluding –</li> <li>the development of structures within existing ports or harbours that will not increase the development footprint of the port or harbour;</li> <li>the development of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies;</li> <li>the development of temporary structures within the beach zone where such structures will be removed within 6 weeks of the commencement of development and where indigenous vegetation will not be cleared; or</li> <li>activities listed in activity 14 in Listing Notice 2 of 2014, in which case that activity applies.</li> </ul>	m².  Permanent structures (Sea water intake and brine discharge pipelines) required for the proposed project will be constructed on/along the sea bed. The pipelines will be tunnelled from the pump station through to a point behind the surf zone and then will be laid on the seabed up to the intake/diffuser.  The wetland offset activities will occur in wetlands within the coastal public property	
GN R544 Item 15:  The construction of facilities for the desalination of sea water with a design capacity to produce more than 100 cubic metres of treated water per day.	GN R983 Item 16:  The development and related operation of facilities for the desalination of water with a design capacity to produce more than 100 cubic metres of treated water per day.	The proposed project constitutes the development of a desalination plant and is being designed with a generation capacity of 150 MI (or 150 000 m³) of potable water per day when operating at full capacity.	

Detailed description of listed activities associated with the project			
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
GN R544 Item 16 (vi):	GN R983 Item 17 (i, ii, v, and a, e, f):	Construction and earth moving activities required for the proposed project will occur within the sea (marine intake	
Construction or earth moving activities in the sea, an estuary, or within the littoral active zone or within a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever is the greater, in respect of –  (vi) infrastructure covering 50 square metres or more but excluding:	Development- (i) in the sea; (ii) in an estuary; (v) if no development setback exists, within a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever is the greater;	and discharge pipelines and associated infrastructures) and within 100 m inland of the Mdloti estuary (e.g. potable water pipelines and powerline). Infrastructure associated with the proposed project will cover an area that exceeds 50 m <sup>2</sup> . The offset activities will include the removal of sediment, creation of berms for the rehabilitation of wetlands within 100m of the high water mark	
if such construction or earth moving activities will occur behind a development setback line; or	in respect of- (f) infrastructure with a development footprint of 50 square metres or more -		
<ol> <li>where such construction or earth moving activities will occur within existing ports or harbours and the construction or earth moving activities will not increase the development</li> </ol>	but excluding-  (aa) the development of infrastructure and structures within		
footprint or throughput capacity of the port or harbour;  where such construction or earth moving	existing ports or harbours that will not increase the development footprint of the port or harbour; (bb) where such development is related to the development		
activities is undertaken for purposes of maintenance of the facilities mentioned in (i)-(vi) above; or	of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies; (cc) the development of temporary infrastructure or		
4. where such construction or earth moving activities is related to the construction of a port or harbour, in which case activity 24 of Notice 545 of 2010 applies.	structures where such structures will be removed within 6 weeks of the commencement of development and where indigenous vegetation will not be cleared; or (dd) where such development occurs within an urban area.		
GN R544 Item 18 (i, ii, iv):	GN R983 Item 19 (i, iii):	Construction activities required for the proposed project	
The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 5 cubic metres from:	The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 5 cubic metres from –	(such as trench digging and pipe laying, construction of desalination plant site) would result in the infilling, depositing, dredging, excavation, removal or moving of more than 5 m³ of material from the sea, watercourse, and within a distance of 100 m inland of the estuary.	
(i) a watercourse;	(i) a watercourse;		

Detailed description of listed activities associated with t	Detailed description of listed activities associated with the project		
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
(ii) the sea; (iv) the littoral active zone, an estuary or a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever distance is the greater, but excluding where such infilling, depositing, dredging, excavation, removal or moving:	or (iii) the littoral active zone, an estuary or a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever distance is the greater but excluding where such infilling, depositing, dredging, excavation, removal or moving-	The offset activities will include the removal of sediment, creation of berms, landscaping of terrestrial areas and cultivated wetlands to create rehabilitated wetlands and buffer areas	
is for maintenance purposes undertaken in accordance with a management plan agreed to by the relevant environmental authority; or occurs behind the development setback line.	(a) will occur behind a development setback; (b) is for maintenance purposes undertaken in accordance with a maintenance management plan; or (c) falls within the ambit of activity 21 in this Notice, in which case that activity applies.		
GN R544 Item 22 (i, ii):	GN R983 Item 24 (ii):	The proponent intends to use existing roads to access the	
The construction of a road, outside urban areas,	The development of-	proposed facility (pending approval from relevant authorities). However, if a new access road needs to be	
<ul><li>(x) with a reserve wider than 13,5 meters or,</li><li>(xi) where no reserve exists where the road is wider than 8 metres</li></ul>	(ii) a road with a reserve wider than 13,5 meters, or where no reserve exists where the road is wider than 8 metres;	constructed, it may have a reserve wider than 13,5 meters or may be wider than 8 m and would be located outside of urban areas.	
	but excluding- (a) roads which are identified and included in activity 27 in Listing Notice 2 of 2014; or (b) roads where the entire road falls within an urban area.	The final road design will however be determined during the detailed engineering design phase.	
GN R544 Item 23 (ii):	GN R983 Item 28 (ii):	The proposed desalination plant will cover an area of land approximately 7 Ha in extent and will be constructed on land	
The transformation of undeveloped, vacant or derelict	Residential, mixed, retail, commercial, industrial or	which is largely undeveloped and has a current land use	
land to	institutional developments where such land was used for	zoning of "Agriculture". Some portions of the land are	
(ii) residential, retail, commercial, recreational, industrial or institutional use, outside an urban area and where the total area to be transformed is bigger than 1 hectare but	agriculture or afforestation on or after 01 April 1998 and where such development:	currently under cultivation for market gardening crops (e.g. vegetables). The implementation of the proposed project would therefore result in the transformation of more than 1	
less than 20 hectares, except where such transformation takes place -  (i) for linear activities.	(ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare;	Ha of undeveloped Agricultural land to industrial use, and this would occur outside an urban area.	

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity
	excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.	
GN R544 Item 24:  The transformation of land bigger than 1000 square metres in size, to residential, retail, commercial, industrial or institutional use, where, at the time of the coming into effect of this Schedule or thereafter such land was zoned open space, conservation or had an equivalent zoning.	Not applicable in Listing Notice 1 of the 2014 EIA Regulations.	The implementation of the proposed project would result in the transformation of approximately 7 Ha of undeveloped Agricultural land to industrial use. Components of the terrestrial pipelines and powerline will traverse land zoned as open space. The portion of pipelines and powerline traversing land zoned as opened space are detailed in Chapter 7 Terrestrial ecology study.
GN R544 Item 47 (i, ii):  The widening of a road by more than 6 metres, or the lengthening of a road by more than 1 kilometre - (gg) where the existing reserve is wider than 13,5 meters; or  (hh) where no reserve exists, where the existing road is wider than 8 metres, excluding widening or lengthening occurring inside urban areas.	GN R983 Item 56 (i, ii):  The widening of a road by more than 6 metres, or the lengthening of a road by more than 1 kilometre –  1. where the existing reserve is wider than 13,5 meters; or 2. where no reserve exists, where the existing road is wider than 8 metres; excluding where widening or lengthening occur inside urban areas.	The proponent intends to use existing roads to access the proposed facility (pending approval from relevant authorities). However, existing roads (such as the S Dune road between the circle and the proposed site) may be required to be widened by more than 6 m.  The details will be confirmed as part of the detailed engineering design phase.
GN R545 Item 5:  The construction of facilities or infrastructure for any process or activity which requires a permit or license in terms of national or provincial legislation governing the generation or release of emissions, pollution or effluent and which is not identified in Notice No. 544 of 2010 or included in the list of waste management activities published in terms of section 19 of the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008) in which case that Act will apply.	GN R984 Item 6:  The development of facilities or infrastructure for any process or activity which requires a permit or licence in terms of national or provincial legislation governing the generation or release of emissions, pollution or effluent, excluding  (i) activities which are identified and included in Listing Notice 1 of 2014;  (ii) activities which are included in the list of waste management activities published in terms of section 19 of the National Environmental Management: Waste Act, 2008 (Act	The operation of the proposed desalination plant requires a Coastal Waters Discharge Permit in terms of the National Environmental Management: Integrated Coastal Management Act (Act 24 of 2008) in order to permit the disposal and discharge of effluent to sea.

<b>Detailed</b> description of listed activities associated with	Detailed description of listed activities associated with the project		
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
	No. 59 of 2008) in which case the National Environmental Management: Waste Act, 2008 applies; or (iii) the development of facilities or infrastructure for the treatment of effluent, wastewater or sewage where such facilities have a daily throughput capacity of 2000 cubic metres or less.		
GN R545 Item 14:	GN R984 Item 14:	Permanent structures (Sea water intake and brine discharge pipelines) required for the proposed project will be	
The construction of an island, anchored platform or any other permanent structure on or along the sea bed.	The development and related operation of- (i) an island; (ii) anchored platform; or (iii) any other structure or infrastructure on, below or along the sea bed; excluding - (a) development of facilities, infrastructure or structures for aquaculture purposes; or (b) the development of temporary structures or infrastructure where such structures will be removed within 6 weeks of the commencement of development and where indigenous vegetation will not be cleared.	constructed on/along the sea bed. The pipelines will be tunnelled from the pump station through to a point behind the surf zone and then will be laid on the seabed up to the intake/diffuser.	
GN R545 Item 24 (iii, viii, ix):	GN R984 Item 26 (i, ii and v; and c, g and h):	Construction and earth moving activities will occur within	
Construction or earth moving activities in the sea, an estuary, or within the littoral active zone or a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever distance is the greater, in respect of: (iii) inter- and sub-tidal structures for entrapment of sand; (viii) tunnels; or (ix) underwater channels, but excluding:	Development- (i) in the sea; (ii) in an estuary; (iii) within the littoral active zone; (v) if no development setback exists, within a distance of 100 metres inland of the high-water mark of the sea or an estuary, whichever is the greater; in respect of -	the sea, and, in and within 100 metres of the estuary (tunnelling of the potable water pipeline, powerline).  Depending on design and technical criteria of the desalination plant, structures such as inter- and sub-tidal structures for entrapment of sand and tunnels and/or underwater channels may be used in the construction and operation phase of the proposed development. This will also be subject to further investigation and analysis in the detailed engineering design phase.	
<ul> <li>(iii) activities listed in activity 16 in Notice 544 of 2010,</li> <li>(iv) construction or earth moving activities if</li> </ul>	(c) inter- and sub-tidal structures for entrapment of sand; (g) tunnels; or (h) underwater channels;	Permanent structures (Sea water intake and brine discharge pipelines) required for the proposed project will be	

Detailed description of listed activities associated with the project		
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity
such construction or earth moving activities will occur behind a development setback line;  (v) where such construction or earth moving activities will occur in existing ports or harbours where there will be no increase of the development footprint or throughput capacity of the port or harbour; or  (vi) where such construction or earth moving activities takes place for maintenance purposes.	but excluding the development of structures within existing ports or harbours that will not increase the development footprint of the port or harbour.	constructed on/along the sea bed. The pipelines will be tunnelled from the pump station through to a point behind the surf zone and then will be laid on the seabed up to the intake/diffuser.  The offset activities will include the removal of sediment, creation of berms, landscaping of terrestrial areas and cultivated wetlands to create rehabilitated wetlands and buffer areas, within 100 m from the high water mark
GN R546 Item 2 (a) (iii) [(dd) (gg)]:  The construction of reservoirs for bulk water supply with a capacity of more than 250 cubic metres (a) in the KwaZulu-Natal province (iii) outside urban areas, in: (dd) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans. (gg) Areas seawards of the development setback line or within 1 km from the high water mark of the sea if no such development setback line is determined.	GN R985 Item 2 (d) [(viii), (xii) [(bb)]]  The development of reservoirs for bulk water supply with a capacity of more than 250 cubic metres.  in: (d) In KwaZulu-Natal:  viii. Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans; xii. Outside urban areas: (bb) Areas seawards of the development setback line or within 1 km from the high water mark of the sea if no such development setback line is determined.	Two 37.5 Ml freshwater holding reservoirs and a 6Ml reservoir for screened water will be required for the proposed project and will be located at the desalination plant site. These reservoirs will be constructed within an area which has been identified as CBA1 by the EKZNW Terrestrial Systematic Conservation Plan and within 1 km of the high water mark. (Figure 4.1).
GN R546 Item 4 (a) (ii) [(ee) (hh)]:  The construction of a road wider than 4 metres with a reserve less than 13,5 metres in the KwaZulu-Natal province	GN R985 Item 4 (d) [(viii) (xii) [(bb)]]:  The development of a road wider than 4 metres with a reserve less than 13,5 metres.	The proponent intends to use existing roads to access the proposed facility (pending approval from relevant authorities). The proposed project may therefore require the construction of an access road to the proposed desalination plant. If required, this road would be located

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
<ul> <li>(ii) outside urban areas, in</li> <li>(ee) Critical biodiversity areas as identified in</li> <li>systematic biodiversity plans adopted by the</li> <li>competent authority or in bioregional plans.</li> <li>(hh) Areas seawards of the development setback line</li> <li>or within 1 km from the high water mark of the</li> <li>sea if no such development setback line is</li> </ul>	(d) In KwaZulu-Natal: viii. Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans; xii. Outside urban areas: (bb) Areas seawards of the development setback line or within 1 km from the high water mark of the sea if no	outside urban areas within an area which has been identified as CBA1 by the EKZNW Terrestrial Systematic Conservation Plan and within 1 km of the high water mark.  The details will be confirmed as part of the detailed engineering design phase.	
determined.	such development setback line is determined.		
GN R546 Item 10 (a) (ii) [(ee) (hh) (ii)]:  The construction of facilities or infrastructure for the storage, or storage and handling of a dangerous good, where such storage occurs in containers with a combined capacity of 30 but not exceeding 80 cubic metres	GN R985 Item 10 (d) (ix) (xiii) [(bb) (cc)]:  The development of facilities or infrastructure for the storage, or storage and handling of a dangerous good, where such storage occurs in containers with a combined capacity of 30 but not exceeding 80 cubic metres.	The proposed project will require that chemicals such as coagulants, acids, bases, antiscalants and biocides be stored on-site for the pre-treatment/conditioning of the source water, cleaning of the reverse osmosis membrane filters and conditioning of the potable water. It is expected that the combined capacity of these chemicals storage will exceed 30 m³.	
(a) in the KwaZulu-Natal province,	d) In KwaZulu-Natal:		
<ul> <li>(ii) outside urban areas in:         <ul> <li>(ee) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans.</li> <li>(hh) Areas seawards of the development setback</li> </ul> </li> </ul>	ix. Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;  xiii. Outside urban areas:	The exact volumes will be confirmed as part of the detailed engineering design phase and will be based on the results of the pilot plant investigations. These volumes may exceed 80 m <sup>3</sup> .	
line or within 1 km from the high water mark of the sea if no such development setback line is determined  1. Areas on the watercourse side of the development setback line or within 100 m from the edge of a watercourse where no such setback line has been determined.	(bb) Areas seawards of the development setback line or within 1 km from the high water mark of the sea if no such development setback line is determined.  (cc) Areas within 100 metres from the edge of a watercourse.	Construction of such storage facilities will occur in an area which has been identified as CBA1 by the EKZNW Terrestrial Systematic Conservation Plan and in areas within 1km from the high water mark of the sea and within 100m of a watercourse.	
GN R.546 Item 12 (a), (b), (c):	GN R 985 Item 12 (b) (iv) (v) (vi) (vii) (xi) (xiii):	The proposed desalination plant and supporting	
The clearance of an area of 300 square metres or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation,	The clearance of an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes	infrastructure would require an area greater than 300 m <sup>2</sup> to be cleared of vegetation, in an area identified as critically endangered by NEMBA (threatened ecosystem – Northern coastal grassland KZN16 and Interior North coast grassland KZN6) and as CBA by the EKZNW Terrestrial Systematic	

Detailed description of listed activities associated with the project			
Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
(a)Within any critically endangered or endangered ecosystem listed in terms of section 52 of the NEMBA or prior to the publication of such a list, within an area that has been identified as critically endangered in the National Spatial Biodiversity Assessment 2004; (b)Within critical biodiversity areas identified in bioregional plans; (c)within the littoral active zone or 100 metres inland from high water mark of the sea or an estuary, whichever distance is the greater, excluding where such removal will occur behind the development setback line on erven in urban areas.	undertaken in accordance with a maintenance management plan.  b) In KwaZulu-Natal: iv. Within any critically endangered or endangered ecosystem listed in terms of section 52 of the NEMBA or prior to the publication of such a list, within an area that has been identified as critically endangered in the National Spatial Biodiversity Assessment 2004; v. Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans; vi. Within the littoral active zone or 100 metres inland from high water mark of the sea or an estuarine functional zone, whichever distance is the greater, excluding where such removal will occur behind the development setback line on erven in urban areas; vii. On land, where, at the time of the coming into effect of this Notice or thereafter such land was zoned open space, conservation or had an equivalent zoning; xi. Areas designated for conservation use in Spatial Development Frameworks adopted by the competent authority or zoned for a conservation purpose; xiii. In an estuarine functional zone.	Conservation Plan. Given the fact that the desalination plant and associated infrastructure is to be primarily situated on land which is utilised for agricultural practices, it is not anticipated that 75% of the vegetation to be cleared would constitute indigenous vegetation (refer to Chapter 7). This will however need to be ground truthed.  However, should 75% of the cleared vegetation constitute indigenous vegetation, this may also occur within 100 m of the Mdloti estuary. Portions of the proposed potable water pipeline and powerline would traverse areas identified as DMOSS.  The offset activities will require some excavation of areas vegetated by Phragmites australis reeds but not extensive. However, possibly more than 300m2	
GN R.546 Item 13 (a) (c) [(i) (ii) [(gg)]]: The clearance of an area of 1 hectare or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation, (a) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans (c) in the KwaZulu-Natal province, (i) in an estuary (ii) outside urban areas in:	Not applicable in Listing Notice 3 of the 2014 EIA Regulations.	Listed activity not applicable as per Section 53 (2) of the Transitional Arrangements of the 2014.	

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity	
(i) Areas seawards of the development setback line or within 1 kilometre from the high-water mark of the sea if no such development setback line is determined.			
<b>GN R.546 Item 14 (a) (i):</b> The clearance of an area of 5 hectares or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation in all areas outside urban areas in the KwaZulu-Natal province.	Not applicable in Listing Notice 3 of the 2014 EIA Regulations.	Listed activity not applicable as per Section 53 (2) of the Transitional Arrangements of the 2014.	
GN R546 Item 16 (iii) (iv), [(a) [(i) (ii) [(ff) (ii)]]:  The construction of:  (i) buildings with a footprint exceeding 10 square metres in size; or  (ii) infrastructure covering 10 square metres or more,  where such construction occurs within a watercourse or within 32 metres of a watercourse, measured from the edge of a watercourse, excluding where such construction will occur behind the development setback line,  1. in the KwaZulu-Natal province:	GN R 985 Item 14 (vi) (x) (xii) [(a) (c)]; (d) [(i) (vii) (x) [(bb)]]:  The development of –  (vi) bulk storm water outlet structures exceeding 10 square metres in size;  (x) buildings exceeding 10 square metres in size;  (xii) infrastructure or structures with a physical footprint of 10 square metres or more;  where such development occurs  (a) within a watercourse;  (c) if no development setback has been adopted, within 32 metres of a watercourse, measured from the edge of a watercourse;	The construction of new buildings and supporting infrastructure exceeding 10 m² will be required within 32 m of a watercourse. The potable water pipeline towards Waterloo reservoir is proposed to be tunnelled under the Mdloti estuary. Bulk storm water systems and associated outlet structures at the proposed desalination plant site will be appropriately designed during the detailed design phase and may be located within 32 m of a watercourse (wetlands within the development footprint). Further investigation into these aspects of the proposed development will form part of the detailed engineering design phase.	
<ol> <li>In an estuary;</li> <li>Outside urban areas,         <ul> <li>(dd) Sensitive areas as identified in an environmental management framework as contemplated in chapter 5 of the act and as adopted by the competent authority;</li> <li>(ff) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans</li> <li>(ii) in areas seawards of the development setback line or within 1 kilometre from the high-water mark of the sea if no such development setback</li> </ul> </li> </ol>	excluding the development of infrastructure or structures within existing ports or harbours that will not increase the development footprint of the port or harbour.  (d) In KwaZulu-Natal:  (i). In an estuarine functional zone;  (vii). Critical biodiversity areas or ecological support areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;	Such construction will also occur outside urban areas in areas which have been identified as CBA by the EKZNW Terrestrial Systematic Conservation Plan and within 1 km of the high water mark (Pipelines and proposed desalination plant). Portions of the proposed potable water pipeline and powerline would traverse areas identified as DMOSS. Refer to Figure 4.1.  The offset activities will include the removal of sediment, creation of berms and landscaping of terrestrial areas and cultivated wetlands to create rehabilitated wetlands and buffer areas, within 1 km of the high water mark, within 32 m of a watercourse and potentially within CBAs	

Listed activity as described in GN R544, R545 and R546	Listed activity as described in GN R983, R984 and R985	Description of project activity that triggers listed activity
line is determined.	<ul> <li>(viii) Sensitive areas as identified in an environmental management framework as contemplated in chapter 5 of the act and as adopted by the competent authority</li> <li>(x). Outside urban areas:</li> <li>(bb) Areas seawards of the development setback line or within 1 kilometre from the high-water mark of the sea if no such development setback line is determined.</li> </ul>	
GN R546 Item 19 (a) (ii) [(ee) (hh) (ii)]:	GN R 984 Item 18 (d) (vii) (ix) (xii) [(aa) (bb)]:	The proponent intends to use existing roads to access the proposed facility (pending approval from relevant
The widening of a road by more than 4 metres, or the	The widening of a road by more than 4 metres, or the	authorities). However, existing roads may be required to be
lengthening of a road by more than 1 kilometre,	lengthening of a road by more than 1 kilometre.	widened by more than 4 m.
(a) in the KwaZulu-Natal province,		
	(d) In KwaZulu-Natal:	The details will be confirmed as part of the detailed
(ii) outside urban areas, in:		engineering design phase. The proposed project may require
	vii. Critical biodiversity areas as identified in systematic	the construction of an access road to the proposed
(ee) Critical biodiversity areas as identified in systematic	biodiversity plans adopted by the competent authority or in	desalination plant. If required, this road would be located
biodiversity plans adopted by the competent authority	bioregional plans;	outside urban areas within an area which has been identified
or in bioregional plans;	ix. Areas designated for conservation use in Spatial	as CBA by the EKZNW Terrestrial Systematic Conservation
(hh) Areas seawards of the development setback line or	Development Frameworks adopted by the competent	Plan, within 1 km of the high water mark of the sea and
within 1 km from the high-water mark of the sea if no	authority or zoned for a conservation purpose;	within 100m from a watercourse (presence of a number of
such development setback line is determined;	xii. Outside urban areas:	wetlands on site). Refer to Figures 4.1 to 4.3.
(ii) Areas on the watercourse side of the development setback line or within 100 metres from the edge of a	(aa) Areas seawards of the development setback line or within 1 kilometre from the high-water mark of the sea if no	The details will be confirmed as part of the detailed
watercourse where no such setback line has been	such development setback line is determined.	engineering design phase.
determined.	(bb) within 100m of a watercourse	Chameening design phase.

Please note that any authorisation that may result from this application will only cover activities specifically applied for. Co-ordinate points indicating the location of each listed activity must be provided with the relevant report (ie. either BAR or EIR).

Should any activities in GN R.546 be applied for, please provide a map indicating the triggering area (e.g. critical biodiversity area, World Heritage Site, etc) overlaid by the study area in **Appendix 7**.

A project schedule, indicating the different phases and timelines of the project, must be attached as **Appendix 8**.

# 6. EXEMPTIONS (IF APPLICABLE)

Should the applicant wish to apply for exemption from any provision of the Act as it relates to environmental impact assessment or from any provision of GN R. 543, as allowed by GN R543 (50), details of the exemption application must be provided as **Appendix 9** in the form of a table as shown below.

Regulation number	Regulation description	Reason(s) for exemption	Supporting documentation attached	Notification done in R. 543	.t.o GN
				YES	NO
				YES	NO
				YES	NO

Please note that any exemptions from the Act or GN R.543 must first be approved in writing by the competent authority **before** the implementation of such exemptions.

Supporting documentation and proof of notification to the landowner or person in control of the land and all potential or registered I&APs as required by Regulation 51 of GN R. 543 must be attached as **Appendix 10**.

# 7. PUBLIC PARTICIPATION

Provide details of the public participation process proposed for the application as required by Regulation 54(2) of GN R. 543, dated June 2010.

In terms of regulation 54 of the EIA Regulations, the public participation process that will be followed is indicated in the table below:

2. (a) fixing a notice board at a place conspicuous to the public at the boundary or	on the fence of -
(i) the site where the activity to which the application relates is or is to be undertaken; and	Yes
(ii) any alternative site mentioned in the application	Yes
(b) giving written notice to –	
(i) the owner or person in control of that land if the applicant is not the owner or person in control of the land;	Yes
(ii) the occupiers of the site where the activity is or is to be undertaken or to any alternative site where the activity is to be undertaken;	Yes
(iii) owners and occupiers of land adjacent to the site where the activity is or is to be undertaken or to any alternative site where the activity is to be undertaken;	Yes
(iv) the municipal councillor of the ward in which the site or alternative site is situated and any organisation of ratepayers that represent the community in the area;	Yes
(v) the municipality which has jurisdiction in the area;	Yes
(vi) any organ of state having jurisdiction in respect of any aspect of the activity; and	Yes
(vii) any other party as required by the competent authority;	Yes
(c) placing an advertisement in -	
(i) one local newspaper; or	Yes

ρι	) any official <i>Gazette</i> that is published specifically for the purpose of providing ublic notice of applications or other submissions made in terms of these egulations;	Yes	
bo ui ac	l) placing an advertisement in at least one provincial newspaper or national ewspaper, if the activity has or may have an impact that extends beyond the bundaries of the metropolitan or local municipality in which it is or will be ndertaken: Provided that this paragraph need not be complied with if an divertisement has been placed in an official <i>Gazette</i> referred to in subregulation (ii); and	Yes	
pa (i) (ii)	e) using reasonable alternative methods, as agreed to by the competent athority, in those instances where a person is desiring of but unable to articipate in the process due to — illiteracy ) disability; or i) any other disadvantage.	Not applicable at this stage, but we be complied with agreed by the competent authorshould the need arise as part of public consultation process.	ill h as ority the

Should any of the aspect(s) of the Public Participation process be considered unfeasible or unreasonable for this application, please complete Section 9 below.

# 8. DEVIATIONS FROM PUBLIC PARTICIPATION (IF APPLICABLE)

Should the applicant wish to apply for deviations from the public participation process applied for in terms of Regulation 54(5) of GN R. 543, details of the request for deviation must be provided as **Appendix 11** in the form of a table as shown below.

Regulation number	Regulation	Reason for deviation	Proposed deviation
e.g. GN R. 543 Item 54(2)(b)(iii):	The person conducting a public participation process must take into account any guidelines applicable to public participation as contemplated in section 24J of the Act and must give notice to all potential interested and affected parties of the application which is subjected to public participation by giving written notice to— (iii) owners and occupiers of land adjacent to the site where the activity is or is to be undertaken or to any alternative site where the activity is to be undertaken;	The proposed power line stretches over 250 km and it is unfeasible to provide written notification to all land owners and occupiers.	Notices will be placed in all local community newspapers.

**Note from CSIR:** No deviations from public participation in terms of regulation 54(2) of the EIA Regulations are required at this stage.

#### Note:

- Any deviations from the public participation process must first be agreed upon in writing by the competent authority **before** such deviations may be put into place.
- Should you not request to deviate from any requirements of regulation 54(2) or if the Department has
  not agreed to any deviation applied for in writing then the applicant or EAP must comply with the full
  requirements of regulation 54(2).
- Deviation from public participation is only applicable to regulation 54(2) and does not for example apply to the requirement of regulation 10(2) (d) that requires the applicant to publish a notice of the decision taken by the Department in newspapers. An application for exemption must be applied for should the applicant wish to be exempted from the requirements of regulation 10(2) (d).

#### 9. OTHER AUTHORISATIONS REQUIRED

LEGISLATION	AUTHORISATION REQUIRED		APPLICATION SUBMITTED	
SEMAs				
National Environmental Management: Air Quality Act		NO		NO
National Environmental Management: Biodiversity Act		NO*		NO
National Environmental Management: Integrated Coastal	YES		YES	
Management Act				
National Environmental Management: Protected Areas Act		NO		NO
National Environmental Management: Waste Act		NO		NO
National legislation				
Mineral Petroleum Development Resources Act		NO		NO
National Water Act	YES			NO
National Heritage Resources Act		NO*		NO
Others: Please specify		NO*		NO

<u>Note from CSIR:</u> \*Confirmation of the need for these authorisations will be determined as part of the detailed engineering design.

Please provide proof of submission of applications in **Appendix 12**.

If authorisation is necessary in terms of the National Environmental Management: Waste Act, please contact the Department for guidance on the **Integrated Permitting System**.

# 10. LIST OF APPENDICES

		SUBMITTED	)
Appendix 1	Strategic Infrastructure Projects	YES	
Appendix 2	List of Local Municipalities (with contact details)	YES	
Appendix 3	List of land owners (with contact details) and proof of notification of land owners.	YES	
Appendix 4	List of co-ordinates and/or SGIDs	YES	
Appendix 5	Title deed(s) and SG diagram(s)	YES	
Appendix 6	Copies of Environmental Authorisations obtained for the		N/A
	same property		14// (
Appendix 7	Map indicating triggered areas for GN R.546	YES	

Appendix 8	Project schedule	YES	
Appendix 9	Details of application for exemption		N/A
Appendix 10	Supporting documentation and proof of notification of I&APs for exemption application		NO
Appendix 11	Details of request for deviation		NO
Appendix 12	Proof of submission of additional applications		NO
Appendix 13	Declaration of Applicant	YES	
Appendix 14	Declaration of EAP	YES	

# APPENDIX 1 STRATEGIC INFRASTRUCTURE PROJECTS

# SIP 1: Unlocking the northern mineral belt with Waterberg as the catalyst

- Unlock mineral resources
- Rail, water pipelines, energy generation and transmission infrastructure
- Thousands of direct jobs across the areas unlocked
- Urban development in Waterberg first major post-apartheid new urban centre will be a "green" development project
- Rail capacity to Mpumalanga and Richards Bay
- Shift from road to rail in Mpumalanga
- Logistics corridor to connect Mpumalanga and Gauteng.

# SIP 2: Durban-Free State-Gauteng logistics and industrial corridor

- Strengthen the logistics and transport corridor between SA's main industrial hubs
- Improve access to Durban's export and import facilities
- Integrate Free State Industrial Strategy activities into the corridor
- New port in Durban
- Aerotropolis around OR Tambo International Airport.

### SIP 3: South-Eastern node & corridor development

- New dam at Mzimvubu with irrigation systems
- N2-Wild Coast Highway which improves access into KwaZulu-Natal and national supply chains
- Strengthen economic development in Port Elizabeth through a manganese rail capacity from Northern Cape
- A manganese sinter (Northern Cape) and smelter (Eastern Cape)
- Possible Mthombo refinery (Coega) and transshipment hub at Ngqura and port and rail upgrades to improve industrial capacity and performance of the automotive sector.

# SIP 4: Unlocking the economic opportunities in North West Province

- Acceleration of investments in road, rail, bulk water, water treatment and transmission infrastructure
- Enabling reliable supply and basic service delivery
- Facilitate development of mining, agricultural activities and tourism opportunities
- Open up beneficiation opportunities in North West Province.

#### SIP 5: Saldanha-Northern Cape development corridor

- Integrated rail and port expansion
- Back-of-port industrial capacity (including an IDZ)
- Strengthening maritime support capacity for oil and gas along African West Coast
- Expansion of iron ore mining production and beneficiation.

# SIP 6: Integrated municipal infrastructure project

Develop national capacity to assist the 23 least resourced districts (19 million people) to address all the maintenance backlogs and upgrades required in water, electricity and sanitation bulk infrastructure. The road maintenance programme will enhance service delivery capacity thereby impacting positively on the population.

# SIP 7: Integrated urban space and public transport programme

Coordinate planning and implementation of public transport, human settlement, economic and social infrastructure and location decisions into sustainable urban settlements connected by densified transport corridors. This will focus on the 12 largest urban centres of the country, including all the metros in South Africa. Significant work is underway on urban transport integration.

#### SIP 8: Green energy in support of the South African economy

Support sustainable green energy initiatives on a national scale through a diverse range of clean energy options as envisaged in the Integrated Resource Plan (IRP2010) and support bio-fuel production facilities.

#### Indicate capacity in MW:

# SIP 9: Electricity generation to support socioeconomic development

Accelerate the construction of new electricity generation capacity in accordance with the IRP2010 to meet the needs of the economy and address historical imbalances. Monitor implementation of major projects such as new power stations: Medupi, Kusile and Ingula.

#### Indicate capacity in MW:

# SIP 10: Electricity transmission and distribution for all

Expand the transmission and distribution network to address historical imbalances, provide access to electricity for all and support economic development.

Align the 10-year transmission plan, the services backlog, the national broadband roll-out and the freight rail line development to leverage off regulatory approvals, supply chain and project development capacity.

### SIP 11: Agri-logistics and rural infrastructure

Improve investment in agricultural and rural infrastructure that supports expansion of production and employment, small-scale farming and rural development, including facilities for storage (silos, fresh-produce facilities, packing houses); transport links to main networks (rural roads, branch train-line, ports), fencing of farms, irrigation schemes to poor areas, improved R&D on rural issues (including expansion of agricultural colleges), processing facilities (abattoirs, dairy infrastructure), aquaculture incubation schemes and rural tourism infrastructure.

## SIP 12: Revitalisation of public hospitals and other health facilities

Build and refurbish hospitals, other public health facilities and revamp 122 nursing colleges. Extensive capital expenditure to prepare the public healthcare system to meet the requirements of the National Health Insurance (NHI) system. The SIP contains major builds for 6 hospitals

### SIP 13: National school build programme

A national school build programme driven by uniformity in planning, procurement, contract management and provision of basic services. Replace inappropriate school structures and address basic service backlog and provision of basic services under the Accelerated School Infrastructure Delivery Initiative (ASIDI). In addition, address national backlogs in classrooms, libraries, computer labs and admin buildings. Improving the learning environment will strengthen outcomes especially in rural schools, as well as reduce overcrowding

# SIP 14: Higher education infrastructure

Infrastructure development for higher education, focusing on lecture rooms, student accommodation, libraries and laboratories, as well as ICT connectivity. Development of university towns with a combination of facilities from residence, retail to recreation and transport. Potential to ensure shared infrastructure such as libraries by universities, FETs and other educational institutions. Two new universities will be built - in Northern Cape and Mpumalanga.

#### SIP 15: Expanding access to communication technology

Provide for broadband coverage to all households by 2020 by establishing core Points of Presence (POPs) in district municipalities, extend new Infraco fibre networks across provinces linking districts, establish POPs and fibre connectivity at local level, and further penetrate the network into deep rural areas.

While the private sector will invest in ICT infrastructure for urban and corporate networks, government will co-invest for township and rural access, as well as for e-government, school and health connectivity.

The school roll-out focus is initially on the 125 Dinaledi (science and maths-focussed) schools and 1525 district schools. Part of digital access to all South Africans includes TV migration nationally from analogue to digital broadcasting.

#### SIP 16: SKA & Meerkat

SKA is a global mega-science project, building an advanced radio-telescope facility linked to research infrastructure and high-speed ICT capacity and provides an opportunity for Africa and South Africa to contribute towards global advanced science projects.

## SIP 17: Regional integration for African cooperation and development

Participate in mutually beneficial infrastructure projects to unlock long-term socio-economic benefits by partnering with fast growing African economies with projected growth ranging between 3% and 10%.

The projects involving transport, water and energy also provide competitively-priced, diversified, short and medium to long-term options for the South African economy where, for example, electricity transmission in Mozambique (Cesul) could assist in providing cheap, clean power in the short-term whilst Grand Inga in the DRC is long-term.

All these projects complement the Free Trade Area (FTA) discussions to create a market of 600 million people in South, Central and East Africa.

# SIP 18: Water and sanitation infrastructure

A 10-year plan to address the estimated backlog of adequate water to supply 1.4m households and 2.1m households to basic sanitation.

The project will involve provision of sustainable supply of water to meet social needs and support economic growth. Projects will provide for new infrastructure, rehabilitation and upgrading of existing infrastructure, as well as improve management of water infrastructure.

Χ

# APPENDIX 2 (IF APPLICABLE) LIST OF LOCAL MUNICIPALITIES

Local municipality	eThekwini Municipality		
Contact person:	Dr. Debra Roberts		
Postal address: P.O. Box 680			
	Durban		
Postal code:	4000	Cell:	
Telephone:	(031) 311 7527	Fax:	(031) 311 7134
E-mail:	RobertsD@durban.gov.za		

<u>Note from CSIR:</u> The eThekwini Municipality is a Metropolitan Municipality and as such constitutes both the Local and District Municipality.

# APPENDIX 3 LIST OF LAND OWNERS PROOF OF NOTIFICATION OF LAND OWNERS

(Overleaf)

Table 3.1: List of directly affected land owners for the Proposed Tongaat Desalination Plant and Associated infrastructure.

Property Description	Farmtown name	21 Digit Surveyor-General Code	Property Owner
Rem of Erf 662	Tongaat	N0FU03350000066200000	RSA (Dept of Public Works)
Portion 3 of Erf 662	Tongaat	N0FU03350000066200003	RSA (Dept of Public Works)
Portion 6 of Erf 662	Tongaat	N0FU03350000066200006	Naidoo Bala Kantha
Portion 11 of Erf 662	Tongaat	N0FU03350000066200011	Meadow Brook Properties 8 CC
Portion 12 of Erf 662	Tongaat	N0FU03350000066200012	Ikhwaan Trust - Trustees
Rem of Portion 13, Erf 662	Tongaat	N0FU03350000066200013	Mr. Nadasen
Portion 14 of Erf 662	Tongaat	N0FU03350000066200014	Govender, Parvathee
Portion 15 of Erf 662	Tongaat	N0FU03350000066200015	Dhavagee Family Trust Trustees
Portion 17 of Erf 662	Tongaat	N0FU03350000066200017	Northern Transitional Metropolitan Substructure Council (Ethekwini Municipality)
Portion 18 of Erf 662	Tongaat	N0FU03350000066200018	Govender, Vijayan
Portion 19 of Erf 662	Tongaat	N0FU03350000066200019	Govender, Vijayan
Portion 34 of Erf 662	Tongaat	N0FU03350000066200034	Govender, Marimuthu
Portion 41 of Erf 662	Tongaat	N0FU03350000066200041	Vadivalu Moodley Family Trust - Trustees
Portion 42 of Erf 662	Tongaat	N0FU03350000066200042	Moodley, Pragalathan
Portion 47 (39) of Erf 662	Tongaat	N0FU03350000066200047	Unregistered – falls under parent property- Rem of 662, RSA (Dept of Public Works)
Portion 48 (40) of Erf 662	Tongaat	N0FU03350000066200048	Unregistered – falls under parent property- Rem of 662, RSA (Dept of Public Works)
Portion 49 of Erf 662	Tongaat	N0FU03350000066200049	Unregistered – falls under parent property- Rem of 662, RSA (Dept of Public Works)
Portion 50 of Erf 662	Tongaat	N0FU03350000066200050	Unregistered – falls under parent property- Rem of 662, RSA (Dept of Public Works)
Portion 6 of Erf 922	Tongaat	N0FU03350000092200006	RSA
Portion 1 of Lot 42 No. 1114	Lot 42	N0FU0000000111400001	Tongaat-Hulett Group LTD
Portion 6 of Lot 42 No. 1114	Lot 42	N0FU0000000111400006	Tongaat-Hulett Group LTD


Property Description	Farmtown name	21 Digit Surveyor-General Code	Property Owner					
Rem of Portion 7 of Lot 42 No. 1114	Lot 42	N0FU0000000111400007	Tongaat-Hulett Group LTD					
Rem of Portion 13 of Lot 42 No. 1114	Lot 42	N0FU00000000111400013	Tongaat-Hulett Group LTD					
Portion 30 of Lot 42 No. 1114	Lot 42	N0FU00000000111400030	Tongaat-Hulett Group LTD					
Portion 23 of Lot 42 No 1114	Lot 42	N0FU00000000111400023	eThekwini Roads and Storm water					
Portion 34 of Lot 42 No 1114 - Mdloti substation	Lot 42	N0FU00000000111400034	eThekwini Municipality – Electricity					
Rem of Lot 77 No. 1523	Lot 77	N0FU0000000152300000	Tongaat-Hulett/IFA Resort Dev. Joint Venture Partner					
Portion 1 of Lot 77 No. 1523	Lot 77	N0FU0000000152300001	Tongaat-Hulett Group LTD					
Rem of Portion 2 of Lot 77 No. 1523	Lot 77	N0FU0000000152300002	Tongaat-Hulett Group LTD					
Portion 3 of Lot 77 No. 1523	Lot 77	N0FU0000000152300003	Tongaat-Hulett/IFA Resort Dev. Joint Venture Partner					
Portion 4 of Lot 77 No. 1523	Lot 77	N0FU0000000152300004	South African National Roads Agency LTD					
Portion 10 of Lot 77 No. 1523	Lot 77	N0FU0000000152300010	Unregistered – falls under parent property- Rem of Farm No. 1523 Tongaat-Hulett- Zimbali Resorts Pty Ltd					
Rem of La Mercy Reservoir No. 15692	La Mercy Reservoir	N0FU00000001569200000	Umgeni Water					
Rem of Portion 1 of Lot 44 No. 1570	Lot 44	N0FU0000000157000001	Unregistered- parent property owned by Byrne Joseph Charles B-E					
Rem of Portion 20 of Lot 44 No. 1570	Lot 44	N0FU0000000157000020	Tongaat Hulett LTD					
Portion 23 of Lot 44 No. 1570	Lot 44	N0FU0000000157000023	Tongaat-Hulett Group LTD					
Portion 236 of Lot 44 No. 1570	Lot 44	N0FU0000000157000236	Tongaat-Hulett Group LTD					
Rem of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500000	Unregistered- parent property owned by Byrne Joseph Charles B-E					
Rem of Portion 67 and Portion 67 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157500067	Tongaat-Hulett Group LTD					
Rem of Portion 68 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157500068	Tongaat-Hulett Group LTD					
Rem of Portion 69 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500189	Tongaat-Hulett Group LTD					
Rem of Portion 70 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500070	Tongaat-Hulett Group LTD					
Portion 71 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500071	Tongaat-Hulett Group LTD					
Portion 72 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500072	Tongaat-Hulett Group LTD					
Rem of Portion 167 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500069	Tongaat-Hulett Group LTD					
Portion 174 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157500174	Tongaat-Hulett Group LTD					

Property Description	Farmtown name	21 Digit Surveyor-General Code	Property Owner
Portion 175 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500175	Unregistered- parent property owned by Byrne Joseph Charles B-E
Rem of Portion 178 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500178	Tongaat-Hulett Group LTD
Rem of Portion 179 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500179	DIVINE LIFE SOC OF SOUTH AFRICA-TRUSTEES
Rem of Portion 180 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500180	ELLIAH PROP CC
Rem of Portion 189 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500189	Tongaat-Hulett Group LTD
Rem of Portion 192 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500192	Tongaat-Hulett Group LTD
Rem of Portion 196 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500196	Tongaat-Hulett Group LTD
Rem of Portion 199 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500199	Tongaat-Hulett Group LTD
Portion 200 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500200	Tongaat-Hulett Group LTD
Rem of Portion 204 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500204	Tongaat-Hulett Group LTD
Rem of Portion 209 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500209	KALWENI FARM CC/ Mr M. A. Jackson
Rem of Portion 211 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157500211	Mr. M.A. Jackson Testamentary Trust- Trustees
Rem of Portion 212 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500212	Tongaat-Hulett Group LTD
Portion 244 of Cotton Lands No 1575	Cotton Lands	N0FU0000000157500244	Tongaat-Hulett Group LTD
Rem of Portion 245 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500245	Tongaat-Hulett Group LTD
Rem of Portion 262 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500262	Tongaat-Hulett Group LTD
Portion 263 of Cotton Lands No 1575	Cotton Lands	N0FU0000000157500263	Tongaat-Hulett Group LTD
Rem of Portion 436 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500436	Tongaat-Hulett Group LTD
Rem of Portion 452 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157500452	ELLIAH PROP CC
Rem of Portion 1193 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157501193	Kanniammal, Muthusami, Ponammah, Thanjiammal, MoonsaMy B-E
Rem of Portion 1779 of Cotton Lands No 1575	Cotton Lands	N0FU0000000157501779	Tongaat-Hulett Group LTD
Portion 2456 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502456	South African National Roads Agency LTD
Portion 2457 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502457	Unregistered- parent property owned by Byrne Joseph Charles B-E
Portion 2461 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502461	Tongaat-Hulett Group LTD
Portion 2464 of Cotton Lands No. 1575	Cotton Lands	N0FU00000000157502464	South African National Roads Agency LTD
Portion 2465 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502465	South African National Roads Agency LTD
Portion 2466 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502466	Tongaat-Hulett Group LTD
Portion 2533 of Cotton Lands No. 1575	Cotton Lands	N0FU0000000157502533	Tongaat-Hulett Group LTD
Portion 2558 of Cotton Lands No 1575	Cotton Lands	N0FU0000000157502558	South African National Roads Agency LTD

# List of REGISTERED LETTERS Lys van GEREGISTREERDE BRIEWE

(with an insurance option/met 'n versekeringsopsie)

Full tracking and tracing/Volledige volg en spoor





Enquiries/Navrae Toll-free number Tolvry nommer 0800 111 502

	CONGELLA,	4013				00 111 502
	Name and address of addressee  Naam en adres van geadresseerde	Insured amount Versekerde bedrag	Insurance fee Verseke- ringsgeld	Postage Posgeld	Service fee	Affix Track and Trace customer copy Plak Volg-en-Spoor- kliëntafskrif
	PONGAAT-HULLET GROUP LTD P.O. BOX 3, TONGAAT, 4400				REGISTERS	COST DESTREAM
	TONGART HULLET/ IFA PESORT DEV.				CUSTOMER CON	PY 2010288
	SOUTH APICAN POAD KOONGY LTD 4000 SCOTTS VILLE, 3209				RD 9	100 268 025 ZA  103 268 025 ZA  103 268 025 ZA  103 105 000 10008  ISTERED LETTER  200 105 11 105 100 100 100 100 100 100 10
	DEPARTMENT OF PUBLIC WORKS GO ALLIWAL AND WEST, BUREAN, 4000				RD 90	33 268 144 ZA STERED LETTER *** Preside character option 33 268 127 ZA
	M. GOVENDER, CAPINTHIA ROAD DESAINAGER, 4405				REGIST (with a dozen shareday asso	ERED LETTER "M
	TEN DUNES TIN. CC, SO SOUTH BEACH POAD, DESANAGER, 4405				REGISTER	ED LETTER OPER CONTROL OF STATE OF STAT
	SONAM PROPERTY INV. CC, 72 SOUTH BEACH ROAD, DESAINAGER, 4405				REGISTERS	D LETTER COLUMN SPICES SEE STREET, SPICES SEE STREET, SPICES
	LOUVILL PROPERTIES LC, 76 SOUTH BEACH ROAD, DESAINAGER, 9405				RD 903 268	S38 ZA
)	MEADOW BROOK PROPERTIES 8 4C. 60 SOUTH DUNG ROAD, DESAINAGERUM				REGISTERE RD 903 266	O LETTER  WASHINGTON AND AND AND AND AND AND AND AND AND AN
0	R NAIDAR ON VALLEY ROAD					
	mber of letters posted Totaal tal briewe gepos	R	R	R	R	
¢	gnature of client ndtekening van kliënt	(1)				1
Ę	nature of accepting officer ndtekening van aanneembeampte				/	Date stamp
	value of the contents of these latters is as indicated and compensation oditionally. Compensation is limited to R100,00. No compensation is insurance of up to R200,00 is available and applies to domestic regions.	is pavable wi	thout docum	tter receive	V	(2013-13-05) m
n	waarde van die inhoud van hierdie briewe is soos aangedui en vergoe ider voorbehoud ontvang word nie. Vergoeding is beperk tot R umentere bewys betaalbaar nie. Opsionele versekering van tot R2 nalandse geregiatreerde briewe van toepassing.	TOO DO: 5-666	ın vergoedir	o s songe		Datumstempel
	DENIALE RESTRICT				-	70

# List of REGISTERED LETTERS Lys van GEREGISTREERDE BRIEWE

MASCHAME PRINTERS TONIANT SITE





Full tracking and tracing/Volledige volg en spoor

Name and address of sender. CSIR
Nam en adres van afsender.

Enquiries/Navrae Toll-free number Tolvry nommer 0800 111 502

					0	800 111 502
No	Name and address of addressee Naam en adres van geadresseerde	Insured amount Versekerde bedrag	Insurance fee Verseke- ringsgeld	Postage Posgeld	Service tea	Affix Track and Trace customer copy Plak Voig-en-Spoor- kliëntafskrif
1	[KHWANTRUST-TRUSTEES, SY SWITH DUNE ROAD, DESANDAGER, 9405				RD 90.	ERED LETTER atk describes options 3 268 895 ZA
2	P. GOVENDER, 42 SOUTH DUNG ROAD DESAINAGER, 4405				ShareC	EGISTERED LETTER  a demantic beautiers applicat  all 0000 177 300 www.napis.co.is
3	MR NADASON, 46 SOUTH BEACH ROAD, DESAINAGER, 4409				cust	OMER COPY STREET  GISTERED LETTER  donestic freewing options  freed for SOV serve english on to
4	P.M. GOVENDER, 38 SOUTH DUNE ROAD, DESAINAGER, 4405.				CUSTO	993 268 793 ZA MER COPY 391028R
5	NORTHEN TRUST METROPOLITAN SUBSTAUS. 51 EUTH BEACH ROAD, DESAINAGE, 4405.				RD	GUISTERED LETTER  TO DESCRIPTION OF THE PROPERTY OF THE PROPER
6	V GOVENDER, 52 SOUTH SUNE ROAD DESAINAGER, 4405				Charge	EGISTERED LETTER a dominate operanical control of the service operanical control operanic
7	R. NAIDOOFAG SOUTH BEACH ROAD DESAINAGER, 4405				cus	TOMER COPY 2019288  TOMER COPY 2019288  TOMER COPY 2019288  TO A POST TOMER COPY 201928  TOMER COPY 2019288  TOWER COPY 201928
8	F. MEER, 64 SOUTH BEACH ROAD DESAINAGER, 9405	10			cu	REGISTERED LETTER
9	AD JEEAWAN, 66 SOUTH DUNE ROAD, DESANNAGER, 4405				/00	STOMER COPY 301028H
10	11-5-511 1757 // 102 SAMEEN				I R	Egis TEREO LETTER  4 december fractions automorphism (1980) and (1
	mber of letters posted Totaal tal briewe gepos	R	R	R	R Share a diag	903 268 379 ZA
Sig	nature of client ndtekening van kliënt				GUSTOME!	COPY 3016289
	nature of accepting officer ndtekening van aanneembeampte				1	<del>Date stamp</del>
noc	value of the contents of these letters is as indicated and compensation difficulty. Compensation is limited to R100,00. No compensation is continuous insurance of up to R200,00 is available and applies to domestic reg	payable with	nout docume		1	
ond Joku	vaarde van die inhoud van hierdie briewe is soos aangedui en vergoe ler voorbehoud ontvang word nie. Vergoeding is beperk tot R1 mentere bewys betaalbaar nie. Opsionele versekering van tot R2 slandse geregistreerde briewe van toepassing.	00,00. Geen	vergooding	is sonder	M	Datumstempel

CERTIFICATE OF POSTING A COL INLEWERINGSBEWYS VAN 'N KBJ	PARCEL NO	
	C & 1 €	DATE-STAMP
	7	201601-15
	10/Tan	The same of the same
	s paetal oridio is made within one year after the date of positing- ie posstuti bitme are lost me dis position.	DATUMSTEMPEL 179
2410641 - 90 - 800 - 200) Lexines	b and possible of ground ways.	2011#3.1 (P1/163)
Dube Tradeport Corporation	Dube Tradeport Corporation	4405 29 South 7 Umeirisi Junction La Mercy, Kwazulu-Natal 4399
Elliah Properties CC	Elliah Properties CC	P O Box 2655 Durban 1000 Service Control of
Genazzano Holdings Pty LTD	Genazzano Holdings Pty LTD	Durban 4000 RECEIVE CONTROL OF TOWNS OF
KALWENI FARM CC	KALWENI FARM CC	Verulari, 4340 P. C. 688 9.33 5.19 Z.A. RC 688 0.33 5.19 Z.A. RC 6
SANRAL.	SANRAL	Scottsville start of the start
Tongaal-Hulett – Zimbali Resoris Pty Ltd	Tongaat-Hulett - Zimbali Resorts Pty Ltd	Glenashiey Glenashiey RC 688 933 536 W
Tongaat-Hulett Group LTD	Tongaat-Hulett Group LTD	P O Box 3 RC 988 933 522 Z/ Tongaat 4400
Cedar Point Trading 20 PTY LTD	Cedar Point Trading 20 PTY LTD	P O Box RC 088 033 553 ZA 401263 Redolini Kwa-Zuliu Natal 4071
Department of Public Works	Department of Public Works	C/O-Alhwal & West Street Durban 4000
		BR77 Brand Cort
֡	In Lewerning SBEWYS VAN 'N KB.  Frade charge  Addressed as follows/ Geadressed as follows/	Trade charge Handelsbedrag Andersoned as follows: A Geodresoned as follows: A Geodresoned as volta: Geodresone

F. Hengh H

Environmental Impact Assessment (EIA) for the Proposed Construction, Operation and Decommissioning of a Seawater Reverse Osmosis Plant and Associated Infrastructure at Tongaat, KwaZulu-Natal North Coast: Second Draft EIA Report

EMS 0121 / 02100 /0215E / RUN 10/05/2018

Contact Person:	Residential Address:	Registered Post
The Department of Public Works	Private Bag X 54315, Durban, 4000	J
Mr Andrew Mather eThekwini Roads and Storm water	166 K.E Masinga City Engineers Building 5th floor room 501. Durban 4001	J
Mr Zakhi Mkhize eThekwini Municipality – Electricity Department	303 Anton Lembede 19th Floor Nedbank Building Durban 4001.	/
Tongaat-Hulett Group LTD	PO Box 3 Tongaat 4400	J
Riaz Meer Meadow Brook Properties 8 CC/ SHAM & MEER Attorneys Conveyancers	P O Box 393 Stanger, 4450	✓

(with an insurance option/met 'n versekeringsopsie)	Service fee/Diensgeld R Insurance/Versekering R	_ c					
Full tracking and tracing/Volledige volg en spoor	Total/Totaal R	_ c					
10 - 11. 1011	Insured value of contents Versekerde waarde van inhoud R						
303 Anton Lembede	foll-free number Tolvry nommer 0900 111 502	701281					
The value of the county in this jobs has not one and compensation is not payable for a letter received unconditional entire that will be a baseline and compensation is payable for a letter received unconditional polyate and the payable of the payable without government proof of permanent may not of polyate and payable sometimes completely some settings only.  But wants are die infected with before their is not accorded an expensation as also between the payable paya	Affix Tracked LETTER REGISTERS COMMENT OF THE PROPERTY OF THE						

EREGISTREERDE BRIEF Post Office with an insurance option/met 'n versekeringsopsie) Full tracking and tracing/Volledige volg en spoor		R		C
	Service fee/Diensgeld	R		C
Full tracking and tracing/Volledige volg en spoor	Insurance/Versekering			c
1. 10	Total/Totaal	R		c
ddressed to/Geadresseer aan	Insured value of contents Versekerde waarde van it			C
PO Box 3 Tongaat	Enquiries/Navrae Toll-free number Tolvry nommer	Initial of accepting officer	Date stamp	701281
e value of the contents of this letter is as indicated and compensation is not payable for a letter powed inconditionally. Compensation is include to 9100,000. No compensation is payable without convenience pool. Opioidal instance upon P2000,000 obto satisfacts and appeals of convenience conglished payable without payable with dis-indicat was heartly brief as above sangedul as vergueding ask risk belief as professional conditionable with payable payable power to professional power professional conditionable professional power for the payable payable power professional power power professional power power power power professional power power power professional power power power power professional power power power power power professional power power power power power power power professional power powe	Affix Track and Trace REGISTERED LETTER REGISTERED LETTER RC 940 371 265 ZA USTOMER COPY 334928R KNOR RGIDMIN	Paraaf van aaneem- beampte	Datumstempel	
motorroro i erren				_
EEGISTERED LETTER EEREGISTREERDE BRIEF Post Office	Postage paid	R		c
### TOTAL BLANCE OF COMMUNICATION OF COM	Service fee/Diensgeld			C
vith an insurance option/met 'n versekeringsopsie)	Insurance/Versekering			C
Full tracking and tracing/Volledige volg en spoor	Total/Totaal	.0.61		C
ddressed to/Geadresseer aan	hyaured value of confents	MIKR.		c
Parata Parata	Enquiries/Navrae	Initial of	Date stamp	_
Durban Postcode Postkode	Toll-free number Tolvry nommer 0800 111 502	accepting officer	Date digitip	701281
he rative of the contents of this letter is on indicated and compensation is not payable for a latter content uncondiscendir. Compensation is firsted to R170.05. No compensation is payable without common cary proof. Optional insurance up to R8.020.001s available and applies to dominate registered.	Affix Track-Butten	-		
ties only- ie waarde van die Inboud van Herdie brief is soos aangedui en vergoeding sal nie belaal word ve	RC 040 351 257 254	Paraaf van		
bristweit sonder voorbehoud ontvang word nie. Vergoeding is beperk tot RT 00.00. Geen vergoeding aander dakumentêre bewys belaalbeer nie. Opsionele versekering tot RZ 000.00 is beskikbeer en	CUSTOMER COPY MINUSE Klientafskrif	aaneem- beampte	Datumstempel	
ilėje, op birnilandiai garegalisentė brievo van toepeseiriji.				
REGISTERED LETTER	Postage paid	R		c
REGISTERED LETTER REREGISTREERDE BRIEF Post Office	Service fee/Diensgeld	R_R		c
REGISTERED LETTER SEREGISTREERDE BRIEF Post Office with an insurance optionimet 'n versekeringsopsie)	Service fee/Diensgeld Insurance/Versekering	RR		c
REGISTERED LETTER SEREGISTREERDE BRIEF Post Office with an insurance option/met 'n versekeringsopsie) Full tracking and tracing/Volledige volg en spoor	Service fee/Diensgeld Insurance/Versekering Total/Totaal	R_RR_R		c
REGISTERED LETTER GEREGISTREERDE BRIEF Post Office with an insurance optionimet 'n versekeringsopsie)  Full tracking and tracing/Volledige volg en spoor Addressed to/Geadresseer aan	Service fee/Diensgeld Insurance/Versekering	RRRR		c
with an insurance optionimet 'n versekeringsopsie)  Full tracking and tracing/Volledige volg en spoor  Addressed to/Gesdresseer aan  KICLZ MEET  SHAM+MEER Alborneus Con Meccal Brook troperties 8	Service fee/Diensgeld Insurance/Versekering Total/Totaal Insured value of content	RRRR	Date stamp	0 0
REGISTERED LETTER GEREGISTREERDE BRIEF Post Office with an insurance optionimet 'n versekeringsopsie)  Full tracking and tracing/Volledige volg en spoor Addressed to/Geadresseer aan  KICLY MEER Altorneys Co.  SHAM+ MEER Altorneys Co.  Meccel Brook troperties 8	Service fee/Diensgeld Insurance/Versekering Total/Total Insured value of content Versekerde waarde van Enquiries/Narrae inli-free number 13-lvry nommer 0800 111 502	R_RRBINDOUGH		0 0

## APPENDIX 4 (IF APPLICABLE) LIST OF CO-ORDINATES AND/OR SGIDS

(List of co-ordinates is attached overleaf – Refer to Appendix 3 for SG codes)

#### Notes -

- 1. Micro-siting based on detailed site studies and specific aspects such as geotechnical conditions and foundation designs may lead to minor adjustments in these coordinates of the project location.
- 2. When referring to the potable water pipeline route, a 50 m corridor (25 m each side of the proposed route) is identified to allow for variation in the final engineering survey and design.
- 3. The "transmission line/powerline route" is defined as a 50 m corridor (i.e. 25 m each side of the proposed alignment) to allow for variation in the final engineering survey and design.

Therefore, the coordinates given for the pipeline route and transmission route, in the tables below, represent the centerline of the proposed corridors.




Figure 4.1a: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure.




Figure 4.1b: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure.

#### 1. <u>Proposed Desalination plant and marine pipeline</u>



Point	Location	LAT (d:m:s)	LONG (d:m:s)
1	Desalination Plant Footprint Area	S29° 37' 30.24"	E31° 08' 44.33"
2	Desalination Plant Footprint Area	S29° 37' 35.48"	E31° 08' 40.55"
3	Desalination Plant Footprint Area	S29° 37' 33.00"	E31° 08' 36.54"
4	Desalination Plant Footprint Area	S29° 37' 29.25"	E31° 08' 39.65"
5	Desalination Plant Footprint Area	S29° 37' 26.27"	E31° 08' 41.35"
6	Desalination Plant Footprint Area	S29° 37' 22.92"	E31° 08' 42.05"
7	Desalination Plant Footprint Area	S29° 37' 20.41"	E31° 08' 43.65"
8	Desalination Plant Footprint Area	S29° 37' 19.63"	E31° 08' 47.22"
9	Desalination Plant Footprint Area	S29° 37' 23.42"	E31° 08' 50.75"
10	Start of Brine Discharge Tunnel	S29° 37' 23.78"	E31° 08' 50.43"
11	Mid Point of Brine Discharge Tunnel	S29° 37' 24.95"	E31° 08' 56.87"
12	End of Brine Discharge Tunnel	S29° 37' 27.60"	E31° 09' 11.52"
13	End of Sea Water Intake Tunnel	S29° 37' 24.49"	E31° 08' 49.74"
14	Mid Point of Sea Water Intake Tunnel	S29° 37' 31.06"	E31° 08' 59.84"
15	Start of Sea Water Intake Tunnel	S29° 37' 41.91"	E31° 09' 16.54"

#### 2. <u>Proposed powerline</u>

1a & 1b – Start point of corridor

2a & 2b – Middle point of corridor

3a & 3b – End point of corridor

Des	Desalination Plant to Mount Moreland											
		Lat	itude	Longitude								
	Deg	Min	Sec	Deg	Min	Sec						
1a	29	37	19.037	31	8	44.827						
1b	29	37	21.726	31	8	42.737						
2a	29	38	16.495	31	7	0.165						
2b	29	38	18.699	31	7	2.890						
3a	29	39	57.799	31	5	24.947						
3b	29	39	59.433	31	5	28.154						

#### 3. <u>Proposed potable water pipeline</u>


1a & 1b – Start point of corridor


2a & 2b – Middle point of corridor


3a & 3b – End point of corridor


Des	salinati	ion Pla	ant to La Mercy	Reser	voir							
		La	titude		L	.ongitude						
	Deg	Min	Sec	Deg	Min	Sec						
1a	29	37	23.8033	30	51	18.1568						
1b	29	37	23.0085	30	51	17.9665						
2a	29	36	59.9184	30	51	42.5844						
2b	29	37	00.3651	30	51	41.8085						
3a	29	36	40.2211	30	51	28.4489						
3b	29	36	40.4017	30	51	27.5167						
La l	Mercy	Reser	voir to Bifurcation	on Off	take							
		La	ongitude.									
	Deg	Min	Sec	Deg	Min	Sec						
1a	29	36	27.655597	31	8	29.893125168						
1b	29	36	28.862543	31	8	31.189388179						
2a	29	35	51.400880	31	8	34.436779238						
2b	29	35	51.207222	31	8	36.310522339						
3a	29	35	10.660013	31	8	21.722579917						
3b	29	35	10.598059	31	8	24.086904238						
La l	Mercy	Reser	voir to Waterloo	Rese	rvoir							
		La	titude	Longitude								
	Deg	Min	Sec	Deg	Min	Sec						
1a	29	36	27.655597	31	8	29.893125168						
1b	29	36	28.862543	31	8	31.189388179						
2a	29	38	21.010503	31	6	53.619536088						
2b	29	38	22.129000	31	6	54.971115899						
3a	29	39	51.051500	31	4	13.785686934						
3b	29	39	52.498961	31	4	14.628481185						
Bifu	ırcatioi		ke to Avondale	Rese								
		La	titude		L	.ongitude						
	Deg	Min	Sec	Deg	Min	Sec						
1a	29	35	10.660013	31	8	21.722579917						
1b	29	35	10.598059	31	8	24.086904238						
2a	29	33	35.098814	31	9	49.198017134						
2b	29	33	36.146791	31	9	50.616860365						
3a	29	31	43.349517	31	12	13.805415552						
3b	29	31	44.914578	31	12	14.300683143						

### **APPENDIX 5** SG DIAGRAM(S) (Overleaf)









## APPENDIX 6 (IF APPLICABLE) COPIES OF ENVIRONMENTAL AUTHORISATIONS OBTAINED ON THE SAME PROPERTY

# APPENDIX 7 (IF APPLICABLE) MAP INDICATING TRIGGERING AREAS FOR GN R.546

(Overleaf)




Figure 7.1: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure in relation to Vegetation Type and Threatened Ecosystems (2011 SANBI Remaining Extent).




Figure 7.2: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure in relation to Landcover.




Figure 7.3: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure in relation to CBA as defined in the EKZNW Terrestrial Systematic Conservation Plan (2010)




Figure 7.3: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure in relation to critical biodiversity areas as identified by the EKZNW Terrestrial Systematic Conservation Plan (2016).




Figure 7.4: Locality Map for the Proposed Tongaat Desalination Plant and Associated Infrastructure in relation to aquatic features

## APPENDIX 8 PROJECT SCHEDULE

(Overleaf)

	2013 Dec	2014 Mar	2014 April	2014 May	2014 Jun	2014 Jul	2014 Aug	2014 Sep	2014 Oct	2015 Jan	2015 Feb- Apr	2015 May	2015 Jun	2015 Jul	2015 Aug- Sep	2015 Oct - 2016 Feb	2016 Mar	2016 Apr	2016 May	2016 Jun	2016 July	2016 Aug	2016 Sep	2017 Feb- July	2018 Feb- April	2018 May	2018 June	2018 July
Notify authorities and submit EIA Application																1 110												
z. Establish I&AP database, prepare BID and announce EIA																												
3.i8AP registration and meetings with key stakeholders to source Issues																												
4.Prepare Draft Scoping Report (DSR) and Plan of Study for EIA (PSEIA)																												
5.Public comments period (40 days) on DSR and stakeholder meetings																												
<ol> <li>Submit Final Scoping Report (FSR) and PSEIA to authorities for decision (30 days) and I&amp;AP comment period (21 days)</li> </ol>																												
<ol> <li>Specialist studies (including fieldwork)</li> </ol>																												
<ol> <li>Prepare Draft EIA Report and EMP</li> </ol>																												
<ol> <li>Public review of Draft EIA Report and EMP (40 days)</li> </ol>																												
10. Prepare Final EIA report																												
<ol> <li>Submit Final EIA Report and Draft EMP to authorities</li> </ol>																				(	)							
12. Decision by authorities																				- 10								
<ol> <li>Prepare Amended draft EIA report</li> </ol>																												
14. Public review of amended draft report (30 days)																												
15. Prepare and submit final EIA report to authorities																											4	•
16. Decision by authorities																												
17. Appeal process							- 1														1							-

Figure 8.1: Project Schedule for the Proposed Tongaat Desalination Plant EIA.

# APPENDIX 9 (IF APPLICABLE) DETAILS OF EXEMPTION APPLICATION

# APPENDIX 10 (IF APPLICABLE) SUPPORTING DOCUMENTATION FOR EXEMPTION APPLICATION PROOF OF NOTIFICATION OF I&APS OF EXEMPTION APPLICATION

# APPENDIX 11 (IF APPLICABLE) DETAILS OF REQUEST FOR DEVIATION

## APPENDIX 12 (IF APPLICABLE) PROOF OF SUBMISSION OF ASSOCIATED APPLICATIONS

**Note from CSIR:** Such documents are currently not available for the proposed project. Proof of submission of all associated applications will be provided to the Department during the course of the EIA.

## APPENDIX 13 DECLARATION OF THE APPLICANT

- I, PHUMI NDLOVU , declare that I -
- am, or represent<sup>2</sup>, the applicant in this application;
- have appointed / will appoint (delete that which is not applicable) an environmental assessment practitioner to act as the independent environmental assessment practitioner for this application / will obtain exemption from the requirement to obtain an environmental assessment practitioner<sup>3</sup>;
- will provide the environmental assessment practitioner and the competent authority with access to all information at my disposal that is relevant to the application;
- will be responsible for the costs incurred in complying with the Regulations, including but not limited to –
  - costs incurred in connection with the appointment of the environmental assessment practitioner or any person contracted by the environmental assessment practitioner;
  - costs incurred in respect of the undertaking of any process required in terms of the Regulations;
  - costs in respect of any fee prescribed by the Minister or MEC in respect of the Regulations;
  - costs in respect of specialist reviews, if the competent authority decides to recover costs; and
  - the provision of security to ensure compliance with conditions attached to an environmental authorisation, should it be required by the competent authority;
- will ensure that the environmental assessment practitioner is competent to comply with the requirements of the Regulations and will take reasonable steps to verify that the EAP
  - o know the Act and the regulations, and how they apply to the proposed development
  - know any applicable guidelines
  - o perform the work objectively, even if the findings do not favour the applicant
  - o disclose all information which is important to the application and the proposed development
  - o have expertise in conducting environmental impact assessments
  - o complies with the Regulations
- will inform all registered interested and affected parties of any suspension of the application as well as of any decisions taken by the competent authority in this regard;
- am responsible for complying with the conditions of any environmental authorisation issued by the competent authority:
- hereby indemnify the Government of the Republic, the competent authority and all its officers, agents
  and employees, from any liability arising out of the content of any report, any procedure or any action
  which the applicant or environmental assessment practitioner is responsible for in terms of these
  Regulations;
- will not hold the competent authority responsible for any costs that may be incurred by the applicant in proceeding with an activity prior to obtaining an environmental authorisation or prior to an appeal being decided in terms of these Regulations:
- will perform all other obligations as expected from an applicant in terms of the Regulations;
- all the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offence in terms of regulation 71 and is punishable in terms of section 24F of the Act.

<sup>&</sup>lt;sup>2</sup> If this is signed on behalf of the applicant, proof of such authority from the applicant must be attached.

<sup>&</sup>lt;sup>3</sup> If exemption is obtained from appointing an EAP, the responsibilities of an EAP will automatically apply to the person conducting the environmental impact assessment in terms of the Regulations.

Kell	
Signature <sup>4</sup> of the applicant <sup>5</sup> / Signature on behalf of the applicant:	
Umagni WATER	
Name of company (if applicable):	
14/06/2018	
Date:	

Date:

<sup>&</sup>lt;sup>4</sup> Only original signatures will be accepted. No scanned, copied or faxed signatures will be accepted. <sup>5</sup> If the applicant is a juristic person, a signature on behalf of the applicant is required as well as proof of such authority. An EAP may not sign on behalf of an applicant.

## APPENDIX 14 DECLARATION OF THE EAP

#### I, PAUL LOCHNER, declare that -

#### General declaration:

- I act as the independent environmental practitioner in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work:
- I have expertise in conducting environmental impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity:
- I will comply with the Act, Regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in regulation 8 of the Regulations when preparing the application and any report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my
  possession that reasonably has or may have the potential of influencing any decision to be taken
  with respect to the application by the competent authority; and the objectivity of any report, plan or
  document to be prepared by myself for submission to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or
  made available to interested and affected parties and the public and that participation by interested
  and affected parties is facilitated in such a manner that all interested and affected parties will be
  provided with a reasonable opportunity to participate and to provide comments on documents that
  are produced to support the application;
- I will ensure that the comments of all interested and affected parties are considered and recorded in reports that are submitted to the competent authority in respect of the application, provided that comments that are made by interested and affected parties in respect of a final report that will be submitted to the competent authority may be attached to the report without further amendment to the report:
- I will keep a register of all interested and affected parties that participated in a public participation process; and
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not
- all the particulars furnished by me in this form are true and correct;
- will perform all other obligations as expected from an environmental assessment practitioner in terms of the Regulations; and
- I realise that a false declaration is an offence in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the Act.

#### Disclosure of Vested Interest (delete whichever is not applicable)

the proposed activity proceeding other than remuneration for work performed in terms (Regulations;	of the
I have a vested interest in the proposed activity proceeding, such vested interest being:	
	-
Signature of the environmental assessment practitioner:	
CSIR	
Name of company: 14/06/2018	
Date:	

• I do not have and will not have any vested interest (either business, financial, personal or other) in

#### **EAP - PAUL LOCHNER**

CSIR Jan Cilliers Street PO Box 320 Stellenbosch 7600 South Africa Phone: +27 21 888 2400 Fax: +27 21 888 2693 Email: plochner@csir.co.za



Curriculum Vitae

#### Paul Lochner

Name of firm CSIR

Name of staff Paul Andrew Lochner

**Profession** Environmental Assessment and Management

Position in firm

Project Leader in Environmental Assessment & Management

**Date of birth** 13 June 1969

Years with

firm

21 years

Nationality South African

### Biographical sketch

Paul Lochner commenced work at CSIR in 1992, after completing a degree in Civil Engineering and a Masters in Environmental Science, both at the University of Cape Town. His initial work at CSIR focused on sediment dynamics and soft engineering applications in the coastal zone, in particular, beach and dune management. He conducted several shoreline erosion analyses and prepared coastal zone management plans for beaches. He also prepared wetland management plans.

As the market for environmental assessment work grew, he led Environmental Impact Assessments (EIAs), in particular for coastal resort developments and large-scale industrial developments located on the coast; and Environmental Management Plans (EMPs), in particular for wetlands, estuaries and coastal developments. He has also been involved in researching and applying higher-level approaches to environmental assessment and management, such as Strategic Environmental Assessment (SEA). In 1998 and 1999, he coordinated the SEA research programme within the CSIR, and was a lead author of the Guideline Document for SEA in South Africa, published jointly by CSIR and the national Department of Environmental Affairs and Tourism in February 2000.

71

In 1999 and 2000, he was the project manager for the legal, institutional, policy, financial and socio-economic component of the Cape Action Plan for the Environment ("CAPE"), a large-scale multi-disciplinary study to ensure the sustainable conservation of the Cape Floral Kingdom. This was funded by the Global Environmental Fund (GEF) and prepared for WWF-South Africa. The study required extensive stakeholder interaction, in particular with government institutions, leading to the development of a Strategy and Action Plan for regional conservation.

In July 2003, he was certified as an Environmental Assessment Practitioner by the Interim Certification Board for Environmental Assessment Practitioners of South Africa. In 2004 he was lead author of the *Overview of IEM* document in the updated Integrated Environmental Management (IEM) Information Series published by national Department of Environmental Affairs and Tourism (DEAT). In 2004-2005 he was project manager for an Environmental and Social Impact Assessment (ESIA) conducted for a bauxite mine and alumina refinery in the Komi Republic (Russia), prepared in accordance with World Bank and EU policies, guidelines and standards.

In 2004-2005, he was part of the CSIR team that coordinated the preparation of the series of *Guidelines for involving specialists in EIA processes* prepared for the Western Cape Department of Environmental Affairs and Development Planning (DEADP); and authored the *Guideline for Environmental Management Plans* published by the Western Cape government in 2005.

In 2009, he led the EIA for a desalination plant in Namibia, as well as several EIAs for wind energy facilities in South Africa.

Over the past 14 years has been closely involved with several environmental studies for industrial and port-related projects in Coega Industrial Development Zone (IDZ), near Port Elizabeth. This included the SEA for the establishment of the Coega IDZ in 1996/7, an EIA and EMP for a proposed aluminium smelter in 2002/3, and assistance with environmental permit applications for air, water and waste. At the Coega IDZ and port, he has also conducted environmental assessments for port development, LNG storage and a combined cycle gas turbine power plant, manganese export, rail development, and wind energy projects.

Education	1990	B.Sc. Civil Engineering (awarded with Honours)	University of Cape Town
	1992	M. Phil. Environmental Science	University of Cape Town

### Employmen t record

January 1992 to June 1992: Completed Masters thesis, working in conjunction with the Environmental Evaluation Unit at the University of Cape Town. The thesis investigated the potential future ecological and socioeconomic impacts resulting from the closure of a large diamond mining operation, and developed actions to mitigate these impacts.

October 1992 to present: Employed by the CSIR in Stellenbosch. Involved in coastal engineering studies; and various forms of environmental assessment and management studies. (A track record of experience is listed below).

#### PROFESSIONAL INVOLVEMENT IN COMMITTEES:

1996/97:	Committee Member of the Western Cape Branch of the International Association for Impact Assessment (IAIA)
1997/98:	Chairperson of the Western Cape Branch of IAIA and member of the national IAIA committee
1998/99:	Committee Member of the Western Cape Branch of IAIA
1996 to present:	Chairperson of the Blouvlei Environmental Committee at Century City, Cape Town (This committee is tasked with overseeing the restoration and management of a wetland in the midst of a new mixed-use urban development)

## Experience record

The following table presents an abridged list of projects that Paul Lochner has been involved in, indicating his role in each project:

Completion Date	Project description	Role	Client
2012-in progress	SEA for the placement of wind energy projects in SA	Project Leader	National Department of Environmental Affairs
2012-in progress	SEA for the placement of solar energy projects in SA	Project Leader	National Department of Environmental Affairs
2011 - 2012	EIA for the <b>100 MW solar photovoltaic</b> project proposed by Mainstream Renewable Power at Blocuso, near Keimoes in the Northern Cape	Project Leader	Mainstream Renewable Power
2011 – 2012	EIA for the <b>100 MW solar photovoltaic</b> project proposed by Mainstream Renewable Power at Roode Kop Farm, near Douglas, in the Northern Cape	Project Leader	Mainstream Renewable Power
2011 – 2012	EIA for the 75 MW solar photovoltaic project proposed by Solaire Direct at GlenThorne, near Bloemfontein in the Free State	Project Leader	Solaire Direct
2011 – 2012	EIA for the 75 MW solar photovoltaic project proposed by SolaireDirect at Valleydora, near Springfontein in the Free State	Project Leader	Solaire Direct
2012 (in progress)	EIA for the 80 MW solar photovoltaic project by CAMAC on Farm O'Poort near postmasburg.	Project Leader	CAMAC International

Completion Date	Project description	Role	Client
2010-2011	More than 10 Basic Assessments (BAs) for solar photovoltaic projects in the western cape, Northern Cape, Eastern Cape and Free State	Project Leader	Various clients including Dutch, German, French and South African companies
2010/2011 (in progress)	EIA for the Langerfontein wind project near Darling, Western Cape.	Project Leader	Mr Herman Oelsner, Khwe Khoa
2012-2013	EIA for a 100 MW wind project at Zuurbron and a 50 MW wind project Broadlands in the Eastern Cape	Project Leader	WindCurrent SA (German- based company)
2011	EIA for the proposed 143 MW Biotherm wind energy project near Swellendam, Western Cape, South Africa	Project Leader	Biotherm South Africa (Pty) Ltd
2010-2013 (final report completed)	EIA for the proposed InnoWind wind energy projects near Swellendam, Heidelberg, Albertinia and Mossel Bay (totalling approx 210 MW), Western Cape, South Africa	Project Leader	InnoWind South Africa (Pty) Ltd
2009/2010 (authorisation granted by DEA in Aug 2011	EIA for the proposed Electrawinds wind energy facility of 45-75 MW capacity in the Coega IDZ, Eastern Cape	Project Leader	Electrawinds N.V. (Belgium)
2009/2010 (authorisation granted by DEA in April 2011)	EIA for proposed 180 MW Jeffreys Bay wind energy project, Eastern Cape	Project Leader and co-author	Mainstream Renewable Power South Africa
2009/2010 (authorisation granted by DEA)	Basic Assessment for the national wind Atlas for South Africa	Project Leader	SANERI and SA Wind Energy Programme, Dept of Energy
2009/2010 (on hold)	EIA for the proposed Gecko soda plant, Otjivalunda and Arandis, Namibia	Project Leader	Gecko, Namibia
2009	EIA for the proposed desalination plant at Swakopmund, Namibia	Project Leader	NamWater, Namibia
2009	EMP for the Operational Phase of the Berg River Dam, Franschoek, South Africa	Project Leader and report co- author	TCTA, South Africa
2009/2010 (in progress)	EIA for the proposed crude oil refinery at Coega, South Africa	Project Leader and lead author	PetroSA, South Africa
2008	Environmental Risk Review for proposed LNG/CNG import to Mossel Bay, South Africa	Project Leader and lead author	PetroSA, South Africa
2008	Review of the Business Plan for catchment management for the Berg Water Dam Project, Franschhoek, South Africa	Project reviewer and co- author	TCTA, South Africa
2007 – 2010	EIA for proposed Jacobsbaai Tortoise Reserve eco-development, Saldanha, Western Cape	Project Leader and co-author	Jacobsbaai Tortoise Reserve (Pty) Ltd
2007 – 2010	Independent reviewer for the EIA proposed Amanzi lifestyle development, Port Elizabeth	Independent reviewer appointed to advise EAP	Public Process Consultants and Pam Golding
2007 – 2008	EIA for proposed 18 MW Kouga wind energy project, Eastern Cape	Project Leader and co-author	Mulilo Eco-Energy (Approved by DEDEA in March 2009)

Completion Date	Project description	Role	Client
2007	Review of EIA for the proposed Hanglip Eco-Development, Plettenberg Bay, Western Cape	Co-author of review of EIA, undertaken on behalf of DEADP	Dept of Environmental Affairs & Development Planning, Western Cape
2006-2007	Scoping phase for the EIA for the proposed Coega LNG-to-Power Project at the Port of Ngqura, Coega IDZ	Project Leader and co-author	Eskom and iGas
2006-2007	Guideline for Scoping, Environmental Impact Assessment and Environmental Management Plans for mining in South Africa	Project Leader and co-author	Dept of Minerals and Energy (DME), South Africa
2006	Environmental Impact Assessment (EIA) for the extension of the Port of Ngqura, Eastern Cape	Project Leader and co-author	Transnet
2006	Integrating Sustainability Into Strategy: Handbook (Version 1)	Project Leader and co-author	CSIR (STEP research report)
2005	Technology Review for the proposed aluminium smelter at Coega, South Africa	Project Leader and lead author	Alcan, Canada
2005	Environmental and Social Impact Assessment (ESIA) report for the proposed alumina refinery near Sosnogorsk, Komi Republic, Russia	Project manager and co- author	Komi Aluminium, Russia, IFC, EBRD
2005	Guideline for Environmental Management Plans (EMPs) for the Western Cape province, including conducting a training course for provincial government	Author	Dept of Environmental Affairs & Development Planning, Western Cape
2005	Guideline for the review of specialist studies undertaken as part of environmental assessments	Member of Steering Committee and project facilitator	Dept of Environmental Affairs & Development Planning, Western Cape
2004	Review of Strategic Management Plan for Table Mountain National Park (2001- 2004)	Reviewer and co-author	South African National Parks
2004	Strategic Needs Assessment Process for Muliloing sustainable development into business operations	Researcher and co-author	CSIR (internal research)
2004	<b>Environmental Monitoring Committees</b> booklet in the IEM Information Series for DEAT	Contributing author	Department of Environmental Affairs and Tourism (DEAT)
2004	Overview of Integrated Environmental Management (IEM) booklet in the IEM Information Series	Lead author and researcher	DEAT
2003	Environmental Screening Study for gas power station, South Africa	Project Manager and lead author	Eskom, iGas and Shell
2003	Environmental Management Programme (EMP) Framework for the proposed Coega Aluminium Smelter; and assistance with preparing permit and licence applications	Project Manager and lead author	Pechiney, France
2003	Environmental Management Plan for the Operational Phase of the wetlands and canals at Century City, Cape Town	Project Leader and lead author	Century City Property Owners' Association

Completion Date	Project description	Role	Client
2002	Environmental Impact Assessment for the proposed Pechiney aluminium smelter at Coega, South Africa	Project Manager and lead author	Pechiney, France
2002	Environmental Management Plan for the Eskom Wind Energy Demonstration Facility in the Western Cape	Co-author	Eskom
2001-2002	Environmental Impact Assessment for the Eskom Wind Energy Demonstration Facility in the Western Cape	Quality control & co-author	Eskom
2001	<b>Environmental Due Diligence</b> study of four strategic oil storage facilities in South Africa	Project manager and co- author	SFF Association
2000	Cape Action Plan for the Environment: a biodiversity Strategy and Action Plan for the Cape Floral Kingdom - legal, institutional, policy, financial and socio- economic component	Project manager and contributing writer	World Wide Fund for Nature (WWF): South Africa
1999	Environmental Management Plan for the establishment phase of the wetlands and canals at Century City, Cape Town	Project manager and lead author	Monex Development Company
1999	Environmental Management Programme for the Thesen Islands development, Knysna	Process design and Co- author	Chris Mulder Associates Inc; Thesen and Co.
1999	Management Plan for the coastal zone between the Eerste and Lourens River, False Bay, South Africa	Project manager and lead author	Heartland Properties and Somchem (a Division of Denel)
1998	Environmental Assessment of the Mozal Matola Terminal Development proposed for the Port of Matola, Maputo, Mozambique	Project manager and author.	SNC-Lavalin-EMS
1998	Strategic Environmental Assessment (SEA) for the Somchem industrial complex at Krantzkop, South Africa	Project manager and co- author	Somchem, a Division of Denel
1997	Strategic Environmental Assessment (SEA) for the proposed Industrial Development Zone and Harbour at Coega, Port Elizabeth, South Africa	SEA project manager and report writer	Coega IDZ Initiative Section 21 Company
1996	Environmental Impact Assessment of Development Scenarios for Thesen Island, Knysna, South Africa	Project manager and report writer	Thesen and Co.
1996	Environmental Impact Assessment of the Management Options for the Blouvlei wetlands, Cape Town	Project manager and report writer	Ilco Homes Ltd (now Monex Ltd)
1995	Environmental Impact Assessment for the Saldanha Steel Project, South Africa	Report writing and management of specialist studies	Saldanha Steel Project
1994	<b>Environmental Impact Assessment</b> for the upgrading of resort facilities on Frégate Island, Seychelles	Member of the project management team, co- author, process facilitator	Schneid Israelite and Partners
1994	<b>Environmental Impact Assessment</b> for exploration drilling in offshore Area 2815, Namibia	Project manager and co- author	Chevron Overseas (Namibia) Limited

Completion Date	Project description	Role	Client
1994	Management Plan for the Rietvlei Wetland Reserve, Cape Town	Project manager and lead author	Southern African Nature Foundation (now WWF- SA)

# Language capability

	Speaking	Reading	Writing
English	Excellent	Excellent	Excellent
IsiXhosa	Average	Average	Average